

**THE PUREST** AIR EXPERIENCE.

 **FABER**

FRANKE'S AIR EXPERT

COLLECTION 2022/23







## ***FRANKE'S AIR EXPERT.***

At Faber, we are proud of our significant heritage.

We invented the first hood in 1955.

Since 1958, we have been offering hoods and air treatment solutions that meet consumer's needs and respect the environment.

Since 2005, we have been the **Air Expert of the Franke Group**, which for over 100 years stands for high quality, innovative engineering and exceptional design. Its recipe for success: building on traditions while creating new things. Together, we have grown successfully over all these years.

In 2021, Franke and Faber brands both became part of **Franke Home Solutions division**, a logical step to expand the Group's presence in the kitchen and conquer new territories together. By joining forces, we are making even better use of our know-how, experience and complementary skills.

We are now taking the opportunity to proudly announce our competence in air treatment and our expert position within the Franke Group.

It's the right moment to take this step forward, as this new endorsement, **Franke's Air Expert**, will enrich Faber and Franke with additional values. That's why, thanks to our leading expertise in air treatment, we are **Franke's Air Expert**.



## IMPROVING AIR QUALITY SINCE 1955.

At Faber, we are proud of our significant heritage.

Air is part of our origin and we have a unique expertise in our sector. Over the years we've molded air into a thousand forms, using steel, plexiglass, glass and wood.

We've turned the kitchen hood into an object of design.

We've given it smart functions: light fittings, air conditioner and filters. In brief, we have connected it to the future.

**We understand how the world is changing and we keep innovating to make tomorrow's air even purer.**

We are proud to be part of the **Franke Group as its Air Expert.**


1955

Faber Plast is founded.



1958

The first Plexiglass hood.



1986

NOVA  
The first chimney hood.



1995

AXIA  
The first T Shape hood.



1999

M@STER  
The first smart hood.



2004

MATRIX  
The first hood that hangs like a picture.



2008

KLIMA  
The first air conditioning hood.



2010

F-LIGHT GENERATION  
The first chandelier hood.



2016

TALIKA  
The first totally vertical hood.



2018

GLOW  
With Airplane Technology.



2019

GALILEO  
The first hob extractor in A+++



2020

K-AIR  
The first touch screen connected hood with air quality sensor.



2011

AIR HUB  
Faber enters the world of purification.



2022

AIR HUB PORTABLE  
The first Faber hygieniser with exclusive 4x4 technology.





# A VISION OF GLOBAL REACH.

## **A vision of global reach.**

Faber has a lot in common with air...  
both are present all over the world.  
Our task is to improve the air quality in your house  
and on our planet.

## **Investing in the world.**

Always growing, to serve more people.

## **Thinking long term.**

All around competence: automation, robotics, IT,  
total quality.

## **Innovating continuously.**

Engineering research, advanced solutions, living benefits.

## **Designing the future.**

Ergonomics, design, functionality, comfort, style  
and wellbeing for the home.






# OUR FIRST INSPIRATION: PEOPLE.

At Faber, we know how to look far but also very close. We look at people because they are our inspiration. Their needs and desires are the basic principles for which we strive to supply better and better products, time after time.

We study every single action people do in a kitchen, even the smallest one. This allows us to offer products realized in accordance with the needs of the people.

Because everything depends on the wellness of people.





# SAFETY IS IN RELIABLE HANDS.

Reliability is a constant characteristic of all Faber products. When everything is working as it should, home is a more useful place. And when the air is pure and clean, home becomes a place of true functionality. That's what reliability means to us: making life better for years to come.

## RECORDS IN EXCELLENCE

- The first **ISO 9001** Quality Certification in the field of kitchen hoods.
- **SGS Certificate of Excellence n°001**: a worldwide first.
- Integrated Management System for Quality (**ISO 9001:2015**), Occupational Health and Safety (**OHSAS 18001**) and the Environment (**ISO 14001**) certified by SGS.
- Products conforming to the strictest safety requirements and to standards **EN 61591** and **EN 60704-3**, tested in an authorized in-house laboratory, certified and guaranteed by leading international bodies.

**IMQ** The Italian Quality Mark

**CE** The EU Safety Mark

**SEMKO** International Safety Certification by Intertek ETL

**UL** The Quality Mark for the USA and Canada

**CCC** The Chinese Quality Mark



# TABLE OF CONTENTS

## WALL

STILO	26
BELLA	30
DIAMANTE	31
DAMA	32
NOVA PRO	36
CLASSICA PLUS	40
TENDER	44
TRATTO	45

## INSERT

INCA SD	64
INCA HC	65
INCA PRO PLUS	66
INCA IN-LIGHT	70
INCA LUX	73
INCA SMART SS	74
INCA SMART GR	75

## INTEGRATED

<small>NEW</small> FLEXA	90
CRISTAL	93

## DOWN DRAFT

SCIROCCO LUX	96
SCIROCCO PLUS	97

## ISLAND & CEILING

STRATUS ISOLA	48
HIGH-LIGHT	52
DAMA ISOLA	56
BELLA ISOLA	57
GLASSY ISOLA	58

## PRO & UNDER CABINET

CAMINO PRO	78
MAESTRALE 18	80
MAESTRALE 10	81
LEVANTE II	82
LEVANTE G	85
<small>NEW</small> LEVANTE E	86
OSTRO	87

## ICONIC

ZOOM	100
CHLOE	104
CYLINDRA	106
CYLINDRA ISOLA	107



CLICK SELECTION TO  
ADVANCE TO THE PAGE







THE BREVA PRO IS READY TO BE CONNECTED WITH AN ELECTRONIC INTERFACE, AND USING THE **FABER CLOUD** ALLOWS YOU TO CONTROL ALL FUNCTIONS INTUITIVELY FROM A MOBILE DEVICE.

Pictured: Brevia Pro



Pictured: Tivano

## UNLEASH YOUR TALENT NEW! PROFESSIONAL SERIES

The new Brevia Pro and Tivano hoods are the absolute avant-garde in terms of performance and design, representing Faber’s excellence.

Brevia is designed to be among the best in its class and is available in three sizes. Tivano significantly evolves the Under-The-Cabinet models, bridging the gap with the PRO versions. Designed for aspiring chefs or simply food enthusiasts, the new models are ideal for those looking for a premium product for their kitchen. The attention to detail makes them both aesthetically pleasing and capable of professional performance.



**Higher Extraction Capacity**  
Top performance, thanks to the PRO blower that increases extraction by 12% and PRO baffles filters that ensure restaurant performance. The removable grease rail guarantees easy cleanability.



# THE IDEAL SOLUTION FOR YOUR **HOME**



**PERIMETER ASPIRATION:  
EXCLUSIVE TO FABER  
TECHNOLOGY, CREATING  
PURER AIR WITH MORE  
EFFICIENT EXTRACTION**



**FABER HOODS HAVE A LOWER  
ENVIRONMENTAL IMPACT  
WITH LED LIGHTING AND  
ENERGY-EFFICIENT  
CONSUMPTION OF THE MOTOR.**



**THANKS TO THE FABER  
CLOUD, YOU CAN MANAGE  
YOUR HOOD ON ANY  
MOBILE DEVICE**  
(AVAILABLE ON BREVA MODEL)



**HOODS EQUIPPED WITH THE  
SMARTEST FEATURES, TIMERS,  
REMOTE CONTROLS AND  
CONNECTION TO THE HOME.**



## NEW! REMOTE **MANAGEMENT** TOOL


### **AIR QUALITY IS ALWAYS UNDER CONTROL**

The exclusive App is designed to manage the hood remotely from a mobile device, with simple and intuitive functions.

(Available on Brevia Models)



## VARIABLE AIR **MANAGEMENT SYSTEM**




Adjusting CFM's to meet local building codes is easy with the Variable Air Management (VAM) feature on certain Faber models.

Our exclusive VAM technology allows you to adjust your hood to the most common CFM levels: 295, 395 or 600 class performance. VAM aids in helping the installer set the speed permanently to a lower CFM based on local make up air codes.







HIGH EFFICIENCY  
QUIETER OPERATION

THE **PERIMETER ASPIRATION** FUNCTION ACTIVATES CONTINUAL AIR FLOW TO EXTRACT COOKING FUMES.

# LESS CONSUMPTION, **MORE** EFFICIENCY

## **PERIMETER ASPIRATION**

Faber's exclusive Perimeter Aspiration was naturally inspired for superlative comfort and outstanding performance.

## **REAL POWER MAKES NO NOISE**

Based on the study of aerodynamic flows inside the hood and targeted sound insulation, this Faber technology reduces noise at full power by 3dB(A).

The Perimeter Aspiration accelerates the airflow through a narrow gap, and the air slows down once inside the hood to eliminate cooking odors—no bad smells.




# ADVANCED TECHNOLOGY FOR REAL **LIFE BENEFITS.**

**FABER  
CLOUD**



The exclusive Faber Cloud app can be used to monitor the air quality in your kitchen by adjusting the settings of your hood at any time, even from any mobile device.

**ENERGY  
MOTOR**



The energy-efficient Energy Motor allows for longer duct runs, improving performance, reducing noise and giving you greater installation options.

**VARI-DUCT**



For increased installation options and better energy efficiency, Vari-Duct allows air to be vented via the top or back of a hood.

**REMOTE  
CONTROL**



The ADA compliant wireless remote conveniently controls all the hood's features.

**FILTER  
ALARM**



Filter saturation alarm: warns you when it is time to clean the grease filter.

**INTENSIVE  
SPEED**




Designed to deal with even the strongest cooking aromas, the Intensive Speed function activates maximum extraction power for 10 minutes.

**24 HOUR**




Keeping kitchens fresh and odor free around the clock, the 24 Hour feature automatically turns the hood on for 10 minutes every hour.

**PERIMETER  
ASPIRATION**



By drawing air through a narrowed channel, Perimeter Aspiration increases suction and reduces noise without increasing energy consumption.

**REMOTE  
BLOWER**




Allows for higher performance levels, improves efficiency and reduces air noise.

**DELAY**




Automatic shutdown delay: postpones the motor shutdown to eliminate residual odors completely.

**UP AND  
DOWN**




Combining the function of a hood with a light fitting. The hood descends towards the cooktop to optimize suction and then rises back to the ceiling once cooking odors have been extracted.

**EASY  
CUBE**




For faster, hassle-free fitting, Easy Cube makes installing and levelling hoods so much simpler.

**VAM**



VAM (Variable Air Management System) features enable you to permanently set extraction speeds in line with local building codes.

**LED  
LIGHT**



More durable, brighter and energy-efficient, cool to touch LED Lights offer exceptional performance compared to standard bulbs.

**LIGHT  
DIMMER**



Dimmable light: at the touch of a button the light is dimmed down and can be left on for extended time with minimal energy consumption.

**PRO  
MOTOR**




Helping increase airflow through the hood, our Pro Motor delivers more powerful extraction to take care of even the strongest cooking odors.

**EASY  
SNAP**



The exclusive Easy Snap clip system is designed for an effortless installation of cabinet mounted hoods.

**SEAMLESS  
CHIMNEY**



The single-piece Seamless Chimney is easier to install, easier to clean and offers a more refined look.





# WALL HOODS

STILO	26
BELLA	30
DIAMANTE	31
DAMA	32
NOVA PRO	36
CLASSIC PLUS	40
TENDER	44
TRATTO	45



CLICK SELECTION TO  
ADVANCE TO THE PAGE





## STILO SILENT AND PRECIOUS AS PURE AIR

Stilo is one of the quietest T Shape hoods and is guaranteed to amaze for its high performance and low noise. The hood's stylish design conceals FABER's exclusive VAM technology, allowing permanent setting of extraction speed.

Maximum comfort, minimum energy consumption, and complete freedom to enjoy your home thanks to a continuous exchange of air extraction for 10 minutes activated by the Intensive Speed Function.









**VARIABLE AIR MANAGEMENT**  
Easily set extraction speeds in line with building codes through the soft touch control panel.

**A PERFECT BALANCE OF STYLE AND PERFORMANCE**  
A classic T Shape wall hood with a host of features. The quiet and efficient Stilo is so smart that it will even tackle lingering food odors after the hood is switched off with the Delayed Shut-off feature.

 [Discover More](#)




# STILO




MODEL	SIZE/MATERIAL	MOTOR CLASS	MAP
STIL24SSV2	24" Stainless Steel	295/395/600 CFM	\$699
STIL30SSV2	30" Stainless Steel	295/395/600 CFM	\$799
STIL36SSV2	36" Stainless Steel	295/395/600 CFM	\$849
STIL48SSV2	48" Stainless Steel	295/395/600 CFM	\$1,099

FEATURES		PERFORMANCE		ACCESSORIES (sold separately)	MAP
<b>Dimensions</b>		<b>Motor</b>		<b>HIGH3</b>	<b>\$215</b>
Ceiling Height	See page 111	No. of Fan Speeds	4 Speed	High Ceiling Kit Stainless (up to 11')	
Canopy Depth-Height	18 ½" D x 2 ¾" H	Motor Class	295/395/600	<b>DUCT4</b>	<b>\$55</b>
<b>Ducting</b>		Variable Air Management	Ability to set to 295, 395, 600 CFM	Ductless Conversion Kit	
Type	Ducted/ Ductless with DUCT4	<b>Display</b>		<b>FILTER2</b>	<b>\$45</b>
Duct Size	Top 6" Round	Controls	Electronic with White LED	Replacement Charcoal Filter	
<b>Lighting</b>		Intensive Speed	10 Minutes	<b>MUDAMPER6</b>	<b>\$399</b>
Type	Energy-Efficient LED	Delay Shut-off	15 Minutes	6" Make-up Air Kit	
# of Bulbs	Two- 1 Watt - 1 Level	<b>Other</b>		<b>MUDAMPER8</b>	<b>\$419</b>
<b>Grease Filters</b>		ADA Complaint	With Remote Control	8" Make-up Air Kit	
Filter Type	Mesh	Remote Control	Purchase Separately	<b>REMORIG</b>	<b>\$49</b>
Dishwasher Safe	Yes	Power Cord	Included	Wireless Remote Control	
				<b>WIREBOX</b>	<b>\$45</b>
				Fixed Wiring Box	




 Discover More



FEATURES		PERFORMANCE		ACCESSORIES (sold separately)	MAP
<b>Dimensions</b>		<b>Motor</b>		<b>HIGH3</b>	<b>\$215</b>
Ceiling Height	See page 111	No. of Fan Speeds	4	High Ceiling Kit Stainless (up to 11')	
Canopy Depth-Height	21 ¼" D x 2 ¾" H	Motor Class	PRO 600 Metal Impellers	<b>DUCT4</b>	<b>\$55</b>
<b>Ducting</b>		<b>Display</b>		Ductless Conversion Kit	
Type	Ducted/Ductless with DUCT4	Controls	8 Button Digital LED	<b>FILTER2</b>	<b>\$45</b>
Duct Size	Top 6" Round	Intensive Speed	6 Minutes	Replacement Charcoal Filter	
<b>Lighting</b>		Delay Shut-off	30 Minutes	<b>CFMRED</b>	<b>\$49</b>
Type	Energy-Efficient LED	<b>Other</b>		CFM Reducer Kit 300 CFM	
# of Bulbs	Two - 1 Watt - 2 Level	ADA Compliant	With Remote Control	<b>CFMRED2</b>	<b>\$49</b>
<b>Grease Filters</b>		Remote Control	Purchase Separately	CFM Reducer Kit 400 CFM	
Filter Type	Stainless Steel Mesh	Power Cord	Included	<b>MUDAMPER6</b>	<b>\$399</b>
Dishwasher Safe	Yes			6" Make-up Air Kit	
Filter Wash Indicator	Yes			<b>MUDAMPER8</b>	<b>\$419</b>
				8" Make-up Air Kit	
				<b>REMORIG</b>	<b>\$49</b>
				Wireless Remote Control	
				<b>WIREBOX</b>	<b>\$45</b>
				Fixed Wiring Box	



 Discover More



NOTE: SHOWN WITH DUCTLESS KIT



FEATURES		PERFORMANCE		ACCESSORIES (sold separately)		MAP
<b>Dimensions</b>		<b>Motor</b>		<b>HIGHDIAM</b>		<b>\$185</b>
Ceiling Height	See page 111	No. of Fan Speeds	4	High Ceiling Kit to 10' 8"		
Canopy Depth-Height	22" D x 3 3/8" H	Motor Class	PRO 600 Metal Impellers	<b>DUCTDIAM</b>		<b>\$169</b>
<b>Ducting</b>		<b>Display</b>		Ductless Conversion Kit		
Type	Ducted/ Ductless with DUCTDIAM	Controls	Digital LED	<b>FILTER2</b>		<b>\$45</b>
Duct Size	Top 6" Round	Intensive Speed	10 Minutes	Replacement Charcoal Filter		
<b>Lighting</b>		Delay Shut-off	30 Minutes	<b>CFMRED</b>		<b>\$49</b>
Type	Halogen	<b>Other</b>		CFM Reducer Kit 300 CFM		
# of Bulbs	Two -20 Watt (30") Three - 20 Watt (36", 48") 2 Level	ADA Compliant	No	<b>CFMRED2</b>		<b>\$49</b>
<b>Grease Filters</b>		Fixed Wiring Box	Included	CFM Reducer Kit 400 CFM		
Filter Type	Stainless Steel Baffle			<b>MUDAMPER6</b>		<b>\$399</b>
Dishwasher Safe	Yes			6" Make-up Air Kit		
<b>Easy Cube Mounting</b>				<b>MUDAMPER8</b>		<b>\$419</b>
Yes				8" Make-up Air Kit		










**LED LIGHTS**  
Brighter and energy-efficient, cool to touch LED Lights offer exceptional lighting to the cooktop.

**ATTRACTIVE, SLIM, FEATURE-PACKED DESIGN**  
Slim, seamless, stylish - this Energy-Efficient canopy hood will look right in any home. Designed for quiet running, it's easy to install and simple to operate, thanks to the optional remote control.

 [Discover More](#)



# DAMA



MODEL	SIZE/MATERIAL	MOTOR CLASS	MAP
DAMA30SSV	30" Stainless Steel	295/395/600 CFM	\$979
DAMA36SSV	36" Stainless Steel	295/395/600 CFM	\$1,049

FEATURES		PERFORMANCE		ACCESSORIES	MAP
<b>Dimensions</b>		<b>Motor</b>		<b>HIGH3</b>	<b>\$215</b>
Ceiling Height	See page 111	No. of Fan Speeds	4 Speed	High Ceiling Kit to 11'	
Canopy Depth-Height	20" D x 6 7/16" H	Motor Class	295/395/600	<b>DUCT4</b>	<b>\$55</b>
<b>Ducting</b>		Variable Air Managment	Ability to set to 295, 395, 600 CFM	Ductless Conversion Kit	
Type	Convertible with DUCT4	<b>Display</b>		<b>FILTER2</b>	<b>\$45</b>
Duct Size	Top 6" Round	Controls	Electronic with White LED	Replacement Charcoal Filter	
<b>Lighting</b>		Intensive Speed	10 Minutes	<b>MUDAMPER6</b>	<b>\$399</b>
Type	Energy-Efficient LED	Delay Shut-off	15 Minutes	6" Make-up Air Kit	
# of Bulbs	Two 5 W - 1 level	<b>Other</b>		<b>MUDAMPER8</b>	<b>\$419</b>
<b>Grease Filters</b>		ADA Compliant	With Remote Control	8" Make-up Air Kit	
Filter Type	SS Baffle	Remote Control	Purchase Separately	<b>REMORIG</b>	<b>\$49</b>
Dishwasher Safe	Yes	Power Cord	Included	Wireless Remote Control	
<b>Easy Cube Mounting</b>				<b>WIREBOX</b>	<b>\$45</b>
	Yes			Fixed Wiring Box	










Faber Pro Motor is equipped with metal impellers that deliver more powerful extraction to take care of even the strongest cooking odors.

**VERSATILE, POWERFUL, BEAUTIFUL**  
The versatile Nova Pro pairs natural flexibility with excellent functionality and distinctive looks. Its clean vertical lines and wrapped polished stainless edges make it a practical and beautiful choice for any kitchen style.




# NOVA PRO



MODEL	SIZE/MATERIAL	MOTOR CLASS	MAP
NOPR30SSV	30" Stainless Steel	295/395/600 CFM PRO	\$979
NOPR36SSV	36" Stainless Steel	295/395/600 CFM PRO	\$1,049

FEATURES		PERFORMANCE		ACCESSORIES	MAP
<b>Dimensions</b>		<b>Motor</b>		<b>HIGH3</b>	<b>\$215</b>
Ceiling Height	See page 111	No. of Fan Speeds	4	High Ceiling Kit to 11' 8"	
Canopy Depth-Height	21 ¼" D x 10 ¾" H	Motor Class	PRO 295/395/600 Metal Impellers	<b>DUCT5</b>	<b>\$75</b>
<b>Ducting</b>		Variable Air Management	Ability to set to 295, 395, 600 CFM	Ductless Conversion Kit	
Type	Ducted/Ductless with DUCT5	<b>Display</b>		<b>FILTER1</b>	<b>\$55</b>
Duct Size	Vari-Duct - 6" Round Top or Rear Vent	Controls	Electronic with White LED	Replacement Charcoal Filter	
<b>Lighting</b>		Intensive Speed	10 Minutes	<b>FILTER1LL2</b>	<b>\$159</b>
Type	Energy-Efficient LED	Delay Shut-off	10 Minutes	Long Lasting Charcoal Filter	
# of Bulbs	Two - 5 Watt - 1 level	<b>Other</b>		<b>MUDAMPER6</b>	<b>\$399</b>
<b>Grease Filters</b>		ADA Compliant	With Remote Control	6" Make-up Air Kit	
Filter Type	Stainless Steel Baffle	Remote Control	Purchase Separately	<b>MUDAMPER8</b>	<b>\$419</b>
Dishwasher Safe	Yes	Power Cord	Included	8" Make-up Air Kit	
				<b>REMORIG</b>	<b>\$49</b>
				Wireless Remote Control	
				<b>WIREBOX</b>	<b>\$45</b>
				Fixed Wiring Box	





### CLASSICA PLUS MODERN TAKE ON A CHIMNEY HOOD

Constructed with durable, heavy-duty stainless steel, the Classica Plus is the perfect combination of contemporary design and functions.

It features a beautiful pyramid sculpted design with two modern LED lights, and the Classica Plus perfectly illuminates the cooking space below.








DELAY SHUT-OFF

Faber’s latest extraction technology. This includes an automatic delayed motor function that allows the complete elimination of any residual smells.

PREMIUM LOOKS PLUS SO MUCH MORE

A classic seamless design meets premium features in the endearing Classica Plus, an excellent addition to any kitchen. Easy to use, quiet to run, energy-efficient, and powerful enough to keep the air fresh whatever’s on the menu.



CLASSICA PLUS





MODEL	SIZE/MATERIAL	MOTOR CLASS	MAP
CLPL30SSV	30" Stainless Steel	295/395/600 CFM	\$679
CLPL36SSV	36" Stainless Steel	295/395/600 CFM	\$749


FEATURES		PERFORMANCE		ACCESSORIES	MAP
<b>Dimensions</b>		<b>Motor</b>		<b>HIGHCLPL</b>	<b>\$215</b>
Ceiling Height	See page 111	No. of Fan Speeds	4	High Ceiling Kit to 11' 8"	
Canopy Depth-Height	18 ½" D x 9 13⁄16" H	Motor Class	295/395/600	<b>DUCTCLPL</b>	<b>\$75</b>
<b>Ducting</b>		Vairable Air Management	Ability to set to 295, 395, 600 CFM	<b>FILTER1</b>	<b>\$55</b>
Type	Ducted/Ductless with DUCTCLPL	Energy-Efficient Motor	Yes	Replacement Charcoal Filter	
Duct Size	Top 6" Round	<b>Display</b>		<b>FILTER1LL2</b>	<b>\$159</b>
<b>Lighting</b>		Controls	Electronic with White LED	<b>MUDAMPER6</b>	<b>\$399</b>
Type	Enegy Efficient LED	Intensive Speed	10 Minutes	6" Make-up Air Kit	
# of Bulbs	Two- 1 Watt - 1 level	Delay Shut-off	15 Minutes	<b>MUDAMPER8</b>	<b>\$419</b>
<b>Grease Filters</b>		<b>Other</b>		8" Make-up Air Kit	
Filter Type	Mesh	ADA Compliant	With Remote Control	<b>REMORIG</b>	<b>\$49</b>
Dishwasher Safe	Yes	Remote Control	Purchase Separately	Wireless Remote Control	
		Power Cord	Included	<b>WIREBOX</b>	<b>\$45</b>
				Fixed Wiring Box	



Tender is the perfect alternative to a standard canopy with its seamless and stunning design. Not only is it easier to keep clean, but the distinctively different Tender is easy to operate with the electronic push-button display panel.





# TENDER




MODEL	SIZE/MATERIAL	MOTOR CLASS	MAP
TEND30SSV	30" Stainless Steel	295/395/600 CFM	\$849
TEND36SSV	36" Stainless Steel	295/395/600 CFM	\$899

FEATURES	PERFORMANCE	ACCESSORIES	MAP
<b>Dimensions</b>	<b>Motor</b>	<b>HIGHTNDR</b>	<b>\$119</b>
Ceiling Height Canopy Depth-Height	No. of Fan Speeds 4	High Ceiling Kit Stainless to 11' 3"	
<b>Ducting</b>	Motor Class 295/395/600	<b>DUCTCLPL</b>	<b>\$75</b>
Type Ducted/Ductless with DUCTCLPL	Vairable Air Management Ability to set to 295, 395, 600 CFM	Ductless Conversion Kit	
Duct Size Top 6" Round	Energy-Efficient Motor Yes	<b>FILTER1</b>	<b>\$55</b>
<b>Lighting</b>	<b>Display</b>	Replacement Charcoal Filter	
Type Energy-Efficient LED	Controls Electronic with White LED	<b>FILTER1LL2</b>	<b>\$159</b>
# of Bulbs Two -1 Watt - 1 level	Intensive Speed 10 Minutes	Long Lasting Charcoal Filter	
<b>Grease Filters</b>	Delay Shut-off 15 Minutes	<b>REMORIG</b>	<b>\$49</b>
Filter Type Mesh	<b>Other</b>	Wireless Remote Control	
Dishwasher Safe Yes	ADA Compliant With Remote Control	<b>WIREBOX</b>	<b>\$45</b>
	Remote Control Purchase Separately	Fixed Wiring Box	
	Power Cord Included	<b>BAFFLE2</b>	<b>\$119</b>
		30" Baffle Grease Filters	
		<b>BAFFLE3</b>	<b>\$179</b>
		36" Baffle Grease Filters	
		<b>MUDAMPER6</b>	<b>\$399</b>
		6" Make-up Air Kit	
		<b>MUDAMPER8</b>	<b>\$419</b>
		8" Make-up Air Kit	

The Tratto has curved glass with stainless steel and two widths to choose from: either a 30 in. wide model or a 36 in. wide version. The touch control operation has two LED lights at the base of the hood to light up the surface below.



# TRATTO



MODEL	SIZE/MATERIAL	MOTOR CLASS	MAP
TRAT30SSV	30" Glass & SS	295/395/600 CFM	\$899
TRAT36SSV	36" Glass & SS	295/395/600 CFM	\$979

FEATURES	PERFORMANCE	ACCESSORIES	MAP
<b>Dimensions</b>	<b>Motor</b>	<b>HIGH3</b>	<b>\$215</b>
Ceiling Height Canopy Depth-Height	No. of Fan Speeds 4	High Ceiling Kit to 11'	
<b>Ducting</b>	Motor Class 295/395/600	<b>DUCT4</b>	<b>\$55</b>
Type Ducted/Ductless with DUCT4	Vairable Air Management Ability to set to 295, 395, 600 CFM	Ductless Conversion Kit	
Duct Size Top 6" Round	Energy-Efficient Motor Yes	<b>FILTER2</b>	<b>\$45</b>
<b>Lighting</b>	<b>Display</b>	Replacement Charcoal Filter	
Type Energy-Efficient LED	Controls Electronic with White LED	<b>MUDAMPER6</b>	<b>\$399</b>
# of Bulbs Two 1 - Watt - 1 level	Intensive Speed 10 Minutes	6" Make-up Air Kit	
<b>Grease Filters</b>	Delay Shut-off 15 Minutes	<b>MUDAMPER8</b>	<b>\$419</b>
Filter Type Mesh	<b>Other</b>	8" Make-up Air Kit	
Dishwasher Safe Yes	ADA Compliant With Remote Control	<b>REMORIG</b>	<b>\$49</b>
	Remote Control Purchase Separately	Wireless Remote Control	
	Power Cord Included	<b>WIREBOX</b>	<b>\$45</b>
		Fixed Wiring Box	





# ISLAND & CEILING HOODS

STRATUS ISOLA	48
HIGH-LIGHT	52
DAMA ISOLA	56
BELLA ISOLA	57
GLASSY ISOLA	58



CLICK SELECTION TO  
ADVANCE TO THE PAGE










PERIMETER ASPIRATION

The Perimeter Aspiration extraction panel reduces the perceived sound by 25%. This method of extraction guarantees optimized effectiveness by drawing air through a narrowed channel and decreasing immediately inside the hood, in which it is then easily expelled without increasing energy consumption.

A DISCREET PRESENCE  
IN THE KITCHEN

The Stratus ceiling hood is a versatile built-in design that blends seamlessly into the kitchen ceiling to provide powerful extraction as well as style.



STRATUS ISOLA



MODEL	SIZE/MATERIAL	MOTOR CLASS	MAP
STRTIS36WHNB	36" White Glass	No Blower	\$2,149
STRTIS48WHNB	48" White Glass	No Blower	\$2,299
STRTIS36SSNB	36" Stainless Steel	No Blower	\$1,849
STRTIS48SSNB	48" Stainless Steel	No Blower	\$1,949

SELECT A BLOWER		MAP
IB300	Internal Blower 300 CFM	\$279
IB400	Internal Blower 400 CFM	\$289
IB600	Internal Blower 600 CFM PRO	\$299
RB900	Remote Blower 900 CFM	\$1,029
RB1200	Remote Blower 1200 CFM	\$1,209
AXP250	In-Line Blower 735 CFM (FLANGE10 REQUIRED)	\$545

**Note:** If desired you may use your own external blower, purchased separately, rated 2.8 amp maximum suitable for use with solid state variable speed control. FLANGE10 would be required with this installation.

FEATURES		PERFORMANCE	ACCESSORIES	MAP
<b>Dimensions</b>		<b>Motor</b>	<b>FILTER1</b>	<b>\$55</b>
Ceiling Height	See page 111	No. of Fan Speeds 4	Charcoal Filter Kit	
<b>Ducting</b>		Perimeter Aspiration Yes	<b>FILTER1LL2</b>	<b>\$159</b>
Type	Ducted/Ductless with FILTER1/FILTER1LL2	Remote Blower Optional	Long Lasting Charcoal Filter	
Duct Size	6" Round 10" 4-Way Venting	<b>Display</b>	<b>FLANGE10</b>	<b>\$85</b>
<b>Lighting</b>		Controls Digital LED	10" Blower Flange (Required with AXP250)	
Type	Energy-Efficient LED	Intensive Speed 10 Minutes	<b>FLANGE3</b>	<b>\$119</b>
# of Bulbs	Four- 1 Watt - 2 level	Delay Shut-off 30 Minutes	10" round to 3 1/4" x 10" Flange	
Stainless	Two - 3 Watt - 2 level	<b>Other</b>	<b>MUDAMPER6</b>	<b>\$399</b>
White Glass	Light Bars	ADA Compliant With Remote Control Included	6" Make-up Air Kit	
Light Dimmer	Yes	Remote Control	<b>MUDAMPER8</b>	<b>\$419</b>
<b>Grease Filter</b>		Fixed Wiring Box Included	8" Make-up Air Kit	
Filter Type	Mesh		<b>MUDAMPER10</b>	<b>\$459</b>
Dishwasher Safe	Yes		10" Make-up Air Kit	
Filter Alarm	Yes			









Stainless Steel



White Matte





EASY-TO-USE

Equipped with an easy-to-use remote control, the High-Light has numerous functions. These include Perimeter Aspiration that accelerates air flow and reduces noise. Additionally, the ceiling hood has a timer setting to clear unwanted odors after cooking.


WHERE INSPIRATION MEETS ASPIRATION

The High-Light is an innovative addition to Faber’s collection of ceiling-mounted hoods. It features smart energy-saving LED lighting and Perimeter Aspiration technology, increasing airflow while reducing noise levels.

 [Discover More](#)



# HIGH-LIGHT



MODEL	SIZE/MATERIAL	MOTOR CLASS	MAP
HILTIS36SSNB	36" Stainless Steel	No Blower	\$2,149
HILTIS36WHNB	36" White Matte	No Blower	\$2,199

PICK A BLOWER	MAP
IB300	Internal Blower 300 CFM \$279
IB400	Internal Blower 400 CFM \$289
IB600	Internal Blower 600 CFM PRO \$299
RB900	Remote Blower 900 CFM \$1,029
RB1200	Remote Blower 1200 CFM \$1,209
AXP250	In-Line Blower 735 CFM (FLANGE10 REQUIRED) \$545


**Note:** If desired you may use your own external blower, purchased separately, rated 2.7 amp maximum suitable for use with solid state variable speed control. FLANGE10 would be required with this installation.

FEATURES	PERFORMANCE	ACCESSORIES	MAP
<b>Dimensions</b>	<b>Motor</b>	<b>FILTER1</b>	<b>\$55</b>
Ceiling Height    See page 111	No. of Fan Speeds    4	Charcoal Filter Kit	
<b>Ducting</b>	Perimeter Aspiration    Yes	<b>FILTER1LL2</b>	<b>\$159</b>
Type    Ducted/Ductless with FILTER1/FILTER1LL2	Remote Blower    Optional	Long Lasting Charcoal Filter	
Duct Size    6" Round	<b>Display</b>	<b>FLANGE10</b>	<b>\$85</b>
10" 4-Way Venting	Controls    Digital LED	10" Blower Flange (Required with AXP250)	
<b>Lighting</b>	Intensive Speed    10 Minutes	<b>FLANGE3</b>	<b>\$119</b>
Type    Energy-Efficient LED Panel	Delay Shut-off    30 Minutes	10" round to 3 1/4" x 10" Flange	
# of Bulbs    3 Watt - 2 level	<b>Other</b>	<b>MUDAMPER6</b>	<b>\$399</b>
Light Dimmer    Yes	ADA Compliant    With Remote Control Included	6" Make-up Air Kit	
<b>Grease Filter</b>	Remote Control    Included	<b>MUDAMPER8</b>	<b>\$419</b>
Filter Type    Mesh	Fixed Wiring Box    Included	8" Make-up Air Kit	
Dishwasher Safe    Yes		<b>MUDAMPER10</b>	<b>\$459</b>
Filter Alarm    Yes		10" Make-up Air Kit	



A value island hood with premium style accents, the seamless, feature-packed Dama Isola delivers in every way.

[Discover More](#)



# DAMA ISOLA




MODEL	SIZE/MATERIAL	MOTOR CLASS	MAP
DAMAI36SSV	36" Stainless Steel	295/395/600 CFM	\$1,699
DAMAI42SSV	42" Stainless Steel	295/395/600 CFM	\$2,049

FEATURES		PERFORMANCE		ACCESSORIES	MAP
<b>Dimensions</b>		<b>Motor</b>		<b>HIGH2</b>	<b>\$429</b>
Ceiling Height	See page 111	No. of Fan Speeds	4	High Ceiling Kit to 10' 10"	
Canopy Depth-Height	27 1/2" D x 5 1/16" H	Motor Class	295/395/600	<b>DUCT2</b>	<b>\$189</b>
<b>Ducting</b>		Variable Air Management	Ability to set to 295, 395, 600 CFM	Ductless Conversion Kit	
Type	Ducted/Ductless with DUCT2	Energy-Efficient Motor	Yes	<b>FILTER2</b>	<b>\$45</b>
Duct Size	Top 6" Round	<b>Display</b>		Replacement Charcoal Filter	
<b>Lighting</b>		Controls	Electronic with White LED	<b>MUDAMPER6</b>	<b>\$399</b>
Type	Energy-Efficient LED	Intensive Speed	10 Minutes	6" Make-up Air Kit	
# of Bulbs	Four - 5 Watt - 1 level	Delay Shut-off	15 Minutes	<b>MUDAMPER8</b>	<b>\$419</b>
<b>Grease Filters</b>		<b>Other</b>		8" Make-up Air Kit	
Filter Type	Stainless Steel Baffle	ADA Compliant	With Remote Control	<b>REMORIG</b>	<b>\$49</b>
Dishwasher Safe	Yes	Remote Control	Purchase Separately	Wireless Remote Control	
<b>Seamless Welded Chimney</b>		Power Cord	Included		
	Yes	Fixed Wiring Box	Yes		

Whatever you're looking for in a hood, the T Shape Bella Isola is sure to deliver. This hood has it all with advanced features, superior style, and impressive performance.

[Discover More](#)



# BELLA ISOLA



MODEL	SIZE/MATERIAL	MOTOR CLASS	MAP
BELAI36SS600-B	36" Stainless Steel	600 CFM PRO	\$1,899
BELAI42SS600-B	42" Stainless Steel	600 CFM PRO	\$2,299
BELAI48SS600	48" Stainless Steel	600 CFM PRO	\$2,399

FEATURES		PERFORMANCE		ACCESSORIES	MAP
<b>Dimensions</b>		<b>Motor</b>		<b>HIGH2</b>	<b>\$429</b>
Ceiling Height	See page 111	No. of Fan Speeds	4	High Ceiling Kit to 10' 6"	
Canopy Depth-Height	26 3/8" D x 2 3/8" H	Motor Class	PRO 600 Metal Impellers	<b>DUCT2</b>	<b>\$189</b>
<b>Ducting</b>		<b>Display</b>		Ductless Conversion Kit	
Type	Ducted/Ductless with DUCT2	Controls	8 Button With LED Display	<b>FILTER2</b>	<b>\$45</b>
Duct Size	Top 6" Round	Intensive Speed	6 Minutes	Replacement Charcoal Filter	
<b>Lighting</b>		Delay Shut-off	30 Minutes	<b>CFMRED</b>	<b>\$49</b>
Type	Energy-Efficient LED	<b>Other</b>		CFM Reducer Kit 300 CFM	
# of Bulbs	Four - 1 Watt - 2 level	ADA Compliant	With Remote Control	<b>CFMRED2</b>	<b>\$49</b>
<b>Grease Filters</b>		Remote Control	Purchase Separately	CFM Reducer Kit 400 CFM	
Filter Type	SS Mesh	Fixed Wiring Box	Yes	<b>MUDAMPER6</b>	<b>\$399</b>
Dishwasher Safe	Yes			6" Make-up Air Kit	
<b>Anti-Pollution Mode</b>				<b>MUDAMPER8</b>	<b>\$419</b>
<b>Seamless Welded Chimney</b>				8" Make-up Air Kit	
<b>Quick Island Mounting</b>				<b>REMORIG</b>	<b>\$49</b>
	Yes			Wireless Remote Control	




**A BEAUTIFUL FOCAL POINT FOR ANY KITCHEN**  
The Glassy Isola is a modern island range hood made from quality stainless steel and glass – perfect for a minimalist kitchen design.


This island range hood is extremely powerful, reaching 600CFM. This makes it ideal for a large kitchen or open-plan living.

Controlled with electronic buttons, the Glassy Isola features an intensive speed function and delayed shut-off.

 [Discover More](#)



# GLASSY ISOLA



MODEL	SIZE/MATERIAL	MOTOR CLASS	MAP
GLASIS36SSV	36" Glass & Stainless	295/395/600 CFM	\$1,549

FEATURES		PERFORMANCE		ACCESSORIES	MAP
<b>Dimensions</b>		<b>Motor</b>		<b>HIGH2</b>	<b>\$429</b>
Ceiling Height	See page 111	No. of Fan Speeds	4	High Ceiling Kit to 10' 6"	
Canopy Depth-Height	27 7/16" D x 1 7/8" H	Motor Class	295/395/600	<b>DUCT2</b>	<b>\$189</b>
<b>Ducting</b>		Variable Air Management	Ability to set to 295, 395, 600 CFM	Ductless Conversion Kit	
Type	Ducted/Ductless with DUCT2	Energy-Efficient Motor	Yes	<b>FILTER2</b>	<b>\$45</b>
Duct Size	Top 6" Round	<b>Display</b>		Replacement Charcoal Filter	
<b>Lighting</b>		Controls	Electronic with LED	<b>MUDAMPER6</b>	<b>\$399</b>
Type	LED	Intensive Speed Delay Shut-off	10 Minutes 15 Minutes	6" Make-up Air Kit	
# of Bulbs	Four - 1 Watt - 1 level	<b>Other</b>		<b>MUDAMPER8</b>	<b>\$419</b>
<b>Grease Filters</b>		ADA Compliant	With Remote Control	8" Make-up Air Kit	
Filter Type	Mesh	Remote Control	Purchase Separately	<b>REMORIG</b>	<b>\$49</b>
Dishwasher Safe	Yes			Wireless Remote Control	
<b>Seamless Welded Chimney</b>				<b>BAFFLE2</b>	<b>\$119</b>
	Yes			Baffle Grease Filters	





# INSERT HOODS

INCA SD	64
INCA HC	65
INCA PRO PLUS	66
INCA IN-LIGHT	70
INCA LUX	73
INCA SMART SS	74
INCA SMART GR	75



CLICK SELECTION TO  
ADVANCE TO THE PAGE




**BEAUTIFUL BUT POWERFUL**


This timeless discreet insert hood is made of stainless steel with two modern LED lights to sufficiently light up the cooking surface below.

The Inca SD features intensive speed and a powerful pro-motor with restaurant-style baffle filters that eliminate any cooking aroma. With the Easy Snap clip system, this insert hood installs effortlessly.






 Discover More



NOTE: 29" MODEL SHOWN



# INCA SD

MODEL	SIZE/MATERIAL	MOTOR CLASS	MAP
-------	---------------	-------------	-----

INSD29SSV	29" Stainless Steel	295/395/600 CFM	\$929
INSD35SSV	35" Stainless Steel	295/395/600 CFM	\$979


FEATURES	PERFORMANCE	ACCESSORIES	MAP
----------	-------------	-------------	-----

<b>Dimensions</b>		<b>Motor</b>		<b>LINE30ST</b>		<b>\$139</b>
Cabinet Cut Out 29"	27 5/8" W x 13 1/8" D	No. of Fan Speeds	4	30" SS Liner (16 - 17 7/8" D) - Use with INSD29		
Cabinet Cut Out 35"	33 5/8" W x 13 1/8" D	Motor Class	PRO 295/395/600 Metal Impellers	<b>LINE36ST</b>		<b>\$159</b>
Height Inside Cabinet	12 1/8"	Variable Air Management	Ability to set to 295, 395, 600 CFM	36" SS Liner (16 - 17 7/8" D) - Use with INSD29		
<b>Ducting</b>		<b>Display</b>		<b>LINE36PT</b>		<b>\$159</b>
Type	Ducted/ Recirculating with FILTER1/FILTER1LL2	Controls	Electronic W/ White LED	36" SS Liner (16 - 17 7/8" D) - Use with INSD35		
Duct Size	Vari-Duct - 6" Round Top or Rear Vent	Intensive Speed Delay Shut-off	10 Minutes 15 Minute	<b>FILTER1</b>		<b>\$55</b>
<b>Lighting</b>		<b>Other</b>		Charcoal Filter Kit		
Type	Energy-Efficient LED	ADA Compliant	With Remote Control	<b>FILTER1LL2</b>		<b>\$159</b>
# of Bulbs	Two - 5 Watt - 1 level	Remote Control	Purchase Separately	Long Lasting Charcoal Filter Kit		
<b>Grease Filters</b>		<b>Power Cord</b>		<b>REMORIG</b>		<b>\$49</b>
Filter Type	Pro stainless steel baffle	Included		Wireless Remote Control		
Dishwasher Safe	Yes			<b>WIREBOX</b>		<b>\$45</b>
<b>Easy Snap Clip Installation</b>				Fixed Wiring Box		
				<b>MUDAMPER6</b>		<b>\$399</b>
				6" Make-up Air Kit		
				<b>MUDAMPER8</b>		<b>\$419</b>
				8" Make-up Air Kit		



The Inca HC has a stylish stainless steel finish and stainless steel filters, powerful to clear any odors from the cooking area below. For added versatility, add a charcoal filter for recirculating mode.

 Discover More



NOTE: 29" MODEL SHOWN



# INCA HC

MODEL	SIZE/MATERIAL	MOTOR CLASS	MAP
-------	---------------	-------------	-----

INHC29SSV	29" Stainless Steel	295/395/600 CFM	\$749
INHC35SSV	35" Stainless Steel	295/395/600 CFM	\$799

FEATURES	PERFORMANCE	ACCESSORIES	MAP
----------	-------------	-------------	-----

<b>Dimensions</b>		<b>Motor</b>		<b>LINE30ST</b>		<b>\$139</b>
Cabinet Cut Out 29"	27 5/8" W x 13 1/8" D	No. of Fan Speeds	4	30" SS Liner (16 - 17 7/8" D) - Use with INHC29		
Cabinet Cut Out 35"	33 5/8" W x 13 1/8" D	Motor Class	295/395/600	<b>LINE36ST</b>		<b>\$159</b>
Height Inside Cabinet	12 1/8"	Variable Air Management	Ability to set to 295, 395, 600 CFM	36" SS Liner (16 - 17 7/8" D) - Use with INHC29		
<b>Ducting</b>		Energy-Efficient Motor	Yes	<b>LINE36PT</b>		<b>\$159</b>
Type	Ducted/ Recirculating with FILTER1/FILTER1LL2	<b>Display</b>		36" SS Liner (16 - 17 7/8" D) - Use with INHC35		
Duct Size	Vari-Duct - 6" Round Top or Rear Vent	Controls	Electronic W/ White LED	<b>FILTER1</b>		<b>\$55</b>
<b>Lighting</b>		Intensive Speed Delay Shut-off	10 Minutes 15 Minute	Charcoal Filter Kit		
Type	Energy-Efficient LED	<b>Other</b>		<b>FILTER1LL2</b>		<b>\$159</b>
# of Bulbs	Two - 5 Watt - 1 level	ADA Compliant	With Remote Control	Long Lasting Charcoal Filter Kit		
<b>Grease Filters</b>		Remote Control	Purchase Separately	<b>REMORIG</b>		<b>\$49</b>
Filter Type	SS Mesh	<b>Power Cord</b>		Wireless Remote Control		
Dishwasher Safe	Yes	Included		<b>WIREBOX</b>		<b>\$45</b>
<b>Easy Snap Clip Installation</b>				Fixed Wiring Box		
				<b>MUDAMPER6</b>		<b>\$399</b>
				6" Make-up Air Kit		
				<b>MUDAMPER8</b>		<b>\$419</b>
				8" Make-up Air Kit		











**INDUSTRIAL STYLE  
STAINLESS STEEL BAFFLES**  
Inca Pro stainless steel hood filter is necessary for any professional kitchen, ensuring that grease is deposited directly into the baffles. The grease filters are dishwasher safe or can easily be cleaned with soap and water or degreaser.

**THE PROFESSIONAL CHOICE**  
Available in a choice of sizes, the Inca Pro Plus is an all-in-one pro range hood liner. Designed for custom cabinets, it delivers the perfect mix of powerful performance, unique design and exceptional functionality.

 [Discover More](#)



# INCA PRO PLUS



MODEL	SIZE/MATERIAL	MOTOR CLASS	MAP
INPL3019SSNB-B	30"Wx19" Stainless Steel	No Blower	\$789
INPL3619SSNB-B	36"Wx19" Stainless Steel	No Blower	\$859
INPL4219SSNB-B	42"Wx19" Stainless Steel	No Blower	\$969
INPL4819SSNB-B	48"Wx19" Stainless Steel	No Blower	\$1,079
INPL3622SSNB-B	36"Wx22" Stainless Steel	No Blower	\$899
INPL4822SSNB-B	48"Wx22" Stainless Steel	No Blower	\$1,129

PICK A BLOWER	MAP
IB300	Internal Blower 300 CFM \$279
IB400	Internal Blower 400 CFM \$289
IB600	Internal Blower 600 CFM PRO \$299
IB1200	Internal Blower 1200 CFM PRO \$529
RB900	Remote Blower 900 CFM \$1,029
RB1200	Remote Blower 1200 CFM \$1,209
AXP250	In-Line Blower 735 CFM (INLBKIT REQUIRED) \$545

FEATURES	PERFORMANCE	ACCESSORIES	MAP
<b>Dimensions</b>	<b>Motor</b>	<b>FILTER1</b>	<b>\$55</b>
Cabinet Cut Out Width	No. of Fan Speeds	Charcoal Filter Kit	
28 7/8", 34 3/4", 40 3/4", 46 3/4"	Variable		
Depth	Motor Class	<b>FILTER1LL2</b>	<b>\$159</b>
19 7/8" or 22 7/8"	300/400/900/1200	Long Lasting Charcoal Filter	
Height Inside Cabinet	Pro Motor	<b>INLBKIT</b>	<b>\$119</b>
11"	600/1200	In-Line Blower Connector (Required with AXP250)	
<b>Ducting</b>	<b>Display</b>	<b>MUDAMPER6</b>	<b>\$399</b>
Type	Controls	6" Make-up Air Kit	
Ducted/ Recirculating with FILTER1/FILTER1LL2	Variable Speed		
<b>Lighting</b>	<b>Other</b>	<b>MUDAMPER8</b>	<b>\$419</b>
Type	ADA Compliant	8" Make-up Air Kit	
Energy-Efficient LED	Separate Wall Switch Required		
# of Bulbs	Fixed Wiring Box	<b>MUDAMPER10</b>	<b>\$459</b>
Two - 5 Watt - 1 level	Yes	10" Make-up Air Kit (900/1200 CFM)	
<b>Grease Filters</b>			
Filter Type			
Pro Stainless Steel Baffle			
Dishwasher Safe			
Yes			
<b>Fixed Wiring Box</b>			
Yes			
<b>Easy Snap Clip Installation</b>			
Clips Included			

\*Use your own external blower, purchased separately, rated 4.2 amps maximum, suitable for use with solid state variable speed control. If you are using your own external blower with this hood, you need to order the INLBKIT to connect to the hood.






## INCA IN-LIGHT SLEEK AND INNOVATIVE

Inca In-Light range hoods are a minimal contemporary style that radiate elegance in every detail. Its clean, essential lines integrate perfectly with the cabinetry. They conceal a powerful motor and refined extraction system to provide clean air.

Perimeter Aspiration is the technology that makes the kitchen quiet, efficient, and has a lower impact on the environment. An exclusive Faber technology forces air to speed up through a narrow gap around the panel's perimeter, purifying the air, reducing noise, and improving efficiency.








# INCA IN-LIGHT

MODEL	SIZE/MATERIAL	MOTOR CLASS	MAP
INLT21SSV	21" Stainless Steel	295/395/600 CFM	\$1,079
INLT28SSV	28" Stainless Steel	295/395/600 CFM	\$1,129
INLT35SSV	35" Stainless Steel	295/395/600 CFM	\$1,199

FEATURES	PERFORMANCE	ACCESSORIES	MAP
<b>Dimensions</b>	<b>Motor</b>	<b>LINE30ST</b>	<b>\$139</b>
Cabinet Cut Out 21" / 28"	No. of Fan Speeds 4	30" SS Liner (16 - 17 7/8" D) Use with INLT28	
Cabinet Cut Out 35"	Motor Class 295/395/600	<b>LINE36ST</b>	<b>\$159</b>
Height Inside Cabinet 13 1/8"	Variable Air Management Ability to set to 295, 395, 600 CFM	36" SS Liner (16 - 17 7/8" D) Use with INLT28	
<b>Ducting</b>	Perimeter Aspiration Yes	<b>LINE36PT</b>	<b>\$159</b>
Type Ducted/ Recirculating with FILTER1/FILTER1LL2	Energy-Efficient Motor Yes	36" SS Liner (16 - 17 7/8" D) Use with INLT35	
Duct Size Top 6" Round	<b>Display</b>	<b>FILTER1</b>	<b>\$55</b>
<b>Lighting</b>	Controls Electronic With White LED	Charcoal Filter Kit	
Type LED Bar	Intensive Speed 10 Minutes	<b>FILTER1LL2</b>	<b>\$159</b>
# of Bulbs One - 3 Watt - 1 Level	Delay Shut-off 15 Minutes	Long Lasting Charcoal Filter	
<b>Grease Filters</b>	<b>Other</b>	<b>WIREBOX</b>	<b>\$45</b>
Filter Type Mesh	ADA Compliant With Remote Control Included	Fixed Wiring Box	
Dishwasher Safe Yes	Remote Control Included	<b>MUDAMPER6</b>	<b>\$399</b>
<b>Easy Snap Clip Installation</b>	Power Cord Included	6" Make-up Air Kit	
		<b>MUDAMPER8</b>	<b>\$419</b>
		8" Make-up Air Kit	
		<b>LINSPT301228</b>	<b>\$129</b>
		30" Self Supporting Liner (17 1/2" - 20 1/2" D)	
		<b>LINSPT361228</b>	<b>\$139</b>
		36" Self Supporting Liner (17 1/2" - 20 1/2" D)	
		<i>LINSPT301228 &amp; LINSPT361228 For Use with INLT28</i>	



The Inca Lux nestles into any kitchen design with timeless good looks and a stainless steel finish. The Inca Lux is easy to integrate into kitchen cabinets due to its slim depth, and the Perimeter Aspiration increases the extraction of cooking odors.



# INCA LUX


MODEL	SIZE/MATERIAL	MOTOR CLASS	MAP
<b>INLX21SSV</b>	21" Stainless Steel	295/395/600 CFM	<b>\$799</b>
<b>INLX28SSV</b>	28" Stainless Steel	295/395/600 CFM	<b>\$849</b>
<b>INLX35SSV</b>	35" Stainless Steel	295/395/600 CFM	<b>\$899</b>


FEATURES		PERFORMANCE		ACCESSORIES	MAP
<b>Dimensions</b>		<b>Motor</b>		<b>LINE30ST</b>	<b>\$139</b>
Cabinet Cut Out 21"/ 28"	19 ½" / 26 ⅞" W x 10 ¼" D	No. of Fan Speeds	4	30" SS Liner (16 - 17 ⅞" D) - Use with INLX28	
Cabinet Cut Out 35"	32 ⅞" W x 10 ¼" D	Motor Class	295/395/600	<b>LINE36ST</b>	<b>\$159</b>
Height Inside Cabinet	13 ⅞"	Variable Air Management	Ability to set to 295, 395, 600 CFM	36" SS Liner (16 - 17 ⅞" D) - Use with INLX28	
<b>Ducting</b>		Perimeter Aspiration	Yes	<b>LINE36PT</b>	<b>\$159</b>
Type	Ducted/ Recirculating with FILTER1/FILTER1LL2	Energy-Efficient Motor	Yes	36" SS Liner (16 - 17 ⅞" D) - Use with INLX35	
Duct Size	Top 6" Round	<b>Display</b>		<b>FILTER1</b>	<b>\$55</b>
<b>Lighting</b>		Controls	Electronic With White LED	Charcoal Filter Kit	
Type	Energy-Efficient LED	Intensive Speed Delay Shut-off	10 Minutes 15 Minutes	<b>FILTER1LL2</b>	<b>\$159</b>
# of Bulbs	Two - 5 Watt - 1 Level	<b>Other</b>		Long Lasting Charcoal Filter	
<b>Grease Filters</b>		ADA Compliant	With Remote Control	<b>REMORIG</b>	<b>\$49</b>
Filter Type	Mesh	Remote Control	Purchase Separately	Wireless Remote Control	
Dishwasher Safe	Yes	Power Cord	Included	<b>WIREBOX</b>	<b>\$45</b>
<b>Installation Hardware</b>				Fixed Wiring Box	
Easy Snap Mounting Clips				<b>MUDAMPER6</b>	<b>\$399</b>
				6" Make-up Air Kit	
				<b>MUDAMPER8</b>	<b>\$419</b>
				8" Make-up Air Kit	
				<b>LINSPT301228</b>	<b>\$129</b>
				30" Self Supporting Liner (17 ½" - 20 ½" D)	
				<b>LINSPT361228</b>	<b>\$139</b>
				36" Self Supporting Liner (17 ½" - 20 ½" D)	
				<i>LINSPT301228 &amp; LINSPT361228 For Use with INLX28</i>	





Built-in to the cabinetry, this range hood gives you plenty of unobstructed cooking space. The Inca Smart has both a range hood and a stunning light feature to illuminate the area below with modern LED lights.

 [Discover More](#)



NOTE: DIMENSIONS FOR 400/600CFM




# INCA SMART SS


MODEL	SIZE/MATERIAL	MOTOR CLASS	MAP
INSP28SS240	28" Stainless Steel	240 CFM	\$389
INSP28SS400	28" Stainless Steel	400 CFM	\$519
INSP28SS600	28" Stainless Steel	600 CFM	\$569

FEATURES	PERFORMANCE	ACCESSORIES	MAP
<b>Dimensions</b>	<b>Motor</b>	<b>LINE30ST</b>	<b>\$139</b>
Cabinet Cut Out 26 5⁄8" W x 10 1⁄2" D	No. of Fan Speeds 4	30" SS Liner (16 - 17 7⁄8" D)	
Body Width/Depth 25 5⁄8" W x 10 1⁄4" D	Motor Class 240/400/600	<b>LINE36ST</b>	<b>\$159</b>
	Energy-Efficient Motor Yes	36" SS Liner (16 - 17 7⁄8" D)	
Height Inside Cabinet 7 1⁄6" -28SS240 12 3⁄4" -28SS400/600	<b>Display</b>	<b>FILTER4</b>	<b>\$35</b>
<b>Ducting</b>	Controls Electronic With LED	Charcoal Filter Kit (240 CFM Only)	
Type Ducted/ Recirculating with FILTER1/FILTER1LL2 (SS400/600) FILTER4 (SS240)	Intensive Speed 10 Minutes	<b>FILTER1</b>	<b>\$55</b>
Duct Size Top 6" Round - SS400/600 Top 5" Round -SS240	<b>Other</b>	Charcoal Filter Kit (400/600 CFM Only)	
<b>Lighting</b>	ADA Compliant No	<b>FILTER1LL2</b>	<b>\$159</b>
Type Energy-Efficient LED	Power Cord Included Yes	Long Lasting Charcoal Filter Kit (400/600 CFM Only)	
# of Bulbs Two- 4 Watt - 1 level		<b>WIREBOX</b>	<b>\$45</b>
<b>Grease Filters</b>		Fixed Wiring Box (400/600 CFM Only)	
Filter Type Mesh		<b>LINSPT301228</b>	<b>\$129</b>
Dishwasher Safe Yes		30" Self Supporting Liner (17 1⁄2" - 20 1⁄2" D)	
<b>Easy Snap Clip Installation</b>		<b>LINSPT361228</b>	<b>\$139</b>
Clips Included		36" Self Supporting Liner (17 1⁄2" - 20 1⁄2" D)	



The simple but classic shape of the Inca Smart makes it perfect for a contemporary style kitchen. The hood's design features a grey panel with energy efficient lighting and easily installs with the Easy Snap mounting clips.

 [Discover More](#)



# INCA SMART GR

MODEL	SIZE/MATERIAL	MOTOR CLASS	MAP
INSM21GR240	21" Painted Gray	240 CFM	\$299
INSM28GR240	28" Painted Gray	240 CFM	\$319

FEATURES	PERFORMANCE	ACCESSORIES	MAP
<b>Dimensions</b>	<b>Speed</b>	<b>LINE30ST</b>	<b>\$139</b>
Cabinet Cut Out 21"	No. of Fan Speeds 3	30" SS Liner (16 - 17 7⁄8" D)	
Cabinet Cut Out 28"	Motor Class 240	<b>LINE36ST</b>	<b>\$159</b>
Body Width/Depth 20 3⁄16" or 27 5⁄8" W x 10 1⁄4" D	Energy-Efficient Motor Yes	36" SS Liner (16 - 17 7⁄8" D)	
Height Inside Cabinet 7 1⁄6"	<b>Display</b>	<b>FILTER4</b>	<b>\$35</b>
<b>Ducting</b>	Controls Slider	Charcoal Filter Kit	
Type Ducted/ Recirculating with FILTER4	<b>Other</b>	<b>LINSPT301228</b>	<b>\$129</b>
Duct Size Top 5" Round	ADA Compliant Separate Wall Switch Required	30" Self Supporting Liner (17 1⁄2" - 20 1⁄2" D)	
<b>Lighting</b>	Power Cord Included Yes	<b>LINSPT361228</b>	<b>\$139</b>
Type Energy-Efficient LED		36" Self Supporting Liner (17 1⁄2" - 20 1⁄2" D)	
# of Bulbs Two - 4 Watt - 1 level			
<b>Grease Filters</b>			
Filter Type Mesh			
Dishwasher Safe Yes			
<b>Easy Snap Clip Installation</b>			
Clips Included			

LINSPT301228 & LINSPT361228 for use with INSM28GR240





# PRO & UNDER CABINET HOODS

CAMINO PRO	78
MAESTRALE 18	80
MAESTRALE 10	81
LEVANTE II	82
LEVANTE G	85
LEVANTE E	86
OSTRO	87



CLICK SELECTION TO  
ADVANCE TO THE PAGE






**SELF START**  
The intelligent sensor activates your hood automatically when the air temperature reaches 130°F.

THE PINNACLE OF PERFORMANCE

Camino Pro is a range hood that looks beyond your kitchen walls, opening up new horizons in design and redefining life in the home. But take nothing for granted! Despite its industrial design, this hood packs the performance needed. The pro-motor and stainless baffle filters deliver a powerful extraction system to guarantee clean air.

 [Discover More](#)



NOTE: DIMENSIONS FOR 36"

# CAMINO PRO



MODEL	SIZE/MATERIAL	MOTOR CLASS	MAP
CAPR36SS600	36" Stainless Steel	600 CFM PRO	\$1,699
CAPR36SS1200	36" Stainless Steel	1200 CFM PRO	\$1,999
CAPR48SS1200	48" Stainless Steel	1200 CFM PRO	\$2,399

CHOOSE YOUR DUCT COVER			MAP
CHIM2224	36" Camino Chimney 8' - 9' Ceiling		\$239
CHIM2248	36" Camino Chimney 9' - 11' Ceiling		\$299
CHIM3424	48" Camino Chimney 8' - 9' Ceiling		\$299
CHIM3448	48" Camino Chimney 9' - 11' Ceiling		\$369


FEATURES		PERFORMANCE	ACCESSORIES	MAP
<b>Dimensions</b>		<b>Motor</b>	<b>CFMRED</b>	<b>\$49</b>
Ceiling Height	See page 111	No. of Fan Speeds	4	
Canopy Depth-Height	24" D x 18" H	Motor Class	PRO 600/1200 Metal Impellers	
<b>Ducting</b>		Self Start Heat Sensor	Yes	
Type	Ducted/ Recirculating with FILTER1/FILTER1LL2	<b>Display</b>		
Duct Size 600 CFM	Vari-Duct - 6" Round Top or Rear Vent	Controls	Electronic Rainbow Knob	
Duct Size 1200 CFM	Top Two - 6" Round or One - 10" Round	Intensive Speed	10 Minutes	
<b>Lighting</b>		Delay Shut-off	10 Minutes	
Type	Energy-Efficient LED	<b>Other</b>		
# of Bulbs - 36"	Two - 5 Watt - 2 Level	ADA Compliant	No	
# of Bulbs - 48"	Four - 5 Watt - 2 Level	Fixed Wiring Box	Yes	
Light Dimmer	Yes			
<b>Grease Filters</b>				
Filter Type	Pro Stainless Steel Baffle			
Dishwasher Safe	Yes			
			<b>CFMRED2</b>	<b>\$49</b>
			CFM Reducer Kit 400 CFM	
			<b>MUDAMPER6</b>	<b>\$399</b>
			6" Make-up Air Kit	
			<b>MUDAMPER8</b>	<b>\$419</b>
			8" Make-up Air Kit	
			<b>MUDAMPER10</b>	<b>\$459</b>
			10" Make-up Air Kit	
			<b>FILTER1</b>	<b>\$55</b>
			Replacement Charcoal Filter Kit (2 x 1200 CFM)	
			<b>FILTER1LL2</b>	<b>\$159</b>
			Long Lasting Charcoal Filter Kit (2 x 1200 CFM)	





This pro-style hood is constructed of stainless steel for lasting durability. The powerful 1200 CFM blower system exhausts the fumes and features three-speed motor control.

Discover More



NOTE: DIMENSIONS FOR 1200CFM




# MAESTRALE 18

MODEL	SIZE/MATERIAL	MOTOR CLASS	MAP
MAES3018SS600-B	30" Stainless Steel	600 CFM PRO	\$1,399
MAES3618SS600-B	36" Stainless Steel	600 CFM PRO	\$1,449
MAES3618SS1200-B	36" Stainless Steel	1200 CFM PRO	\$1,749
MAES4818SS1200-B	48" Stainless Steel	1200 CFM PRO	\$2,049


FEATURES		PERFORMANCE		ACCESSORIES		MAP
<b>Dimensions</b>		<b>Speed</b>		<b>TELEMAES</b>		<b>\$215</b>
Canopy Depth-Height	25" D x 18" H	No. of Fan Speeds	3	Telescopic Chimney Kit (12" - 23" H)		
<b>Ducting</b>		Motor Class		<b>FULL30</b>		<b>\$169</b>
Type	Ducted/Ductless	PRO 600/1200 Metal Implellers		Full Width Cover 30 SS (12" H)		
Duct Size	Vari-Duct - 6" Round Top or Rear Vent	<b>Display</b>		<b>FULL36</b>		<b>\$179</b>
1200CFM*	Vari-Duct - Two - 6" Round Top or Rear Vent	Controls		Full Width Cover 36 SS (12" H)		
<b>Lighting</b>		<b>Other</b>		<b>FULL48</b>		<b>\$199</b>
Type	Energy-Efficient LED	ADA Compliant		Full Width Cover 48 SS (MAES4818SS)		
# of Bulbs	Three - 5 Watt - 1 Level	Power Cord Included		<b>TRNSPRO*</b>		<b>\$85</b>
30-42"	Four - 5 Watt - 1 Level	Yes		10" Duct Transition Kit (1200 CFM Hood)		
<b>Grease Filters</b>				<b>CFMRED</b>		<b>\$49</b>
Filter Type	Stainless Steel Baffle			CFM Reducer Kit 300 CFM		
Dishwasher Safe	Yes			<b>CFMRED2*</b>		<b>\$49</b>
				CFM Reducer Kit 400 CFM		
				<b>WIREBOX</b>		<b>\$45</b>
				Fixed Wiring Box		
				<b>MUDAMPER6</b>		<b>\$399</b>
				6" Make-up Air Kit		
				<b>MUDAMPER8</b>		<b>\$419</b>
				8" Make-up Air Kit		
				<b>MUDAMPER10</b>		<b>\$459</b>
				10" Make-up Air Kit		
				<b>DUCTGRT30</b>		<b>\$219</b>
				Ductless Vent Grate Recirc. Kit 30 (Adds 4" Height)		
				<b>DUCTGRT36</b>		<b>\$229</b>
				Ductless Vent Grate Recirc. Kit 36 (Adds 4" Height)		
				<b>FILTER1</b>		<b>\$55</b>
				Replacement Charcoal Filter Kit (2 x 1200 CFM)		
				<b>FILTER1LL2</b>		<b>\$159</b>
				Long Lasting Charcoal Filter Kit (2 x 1200 CFM)		

\*Ducting 1200CFM Optional transitions two 6" round duct openings into one 10" round opening.



The high-performance Pro Motor ensures the Maestrale 10 range hood can handle any amount of cooking day or night.

Discover More



# MAESTRALE 10

MODEL	SIZE/MATERIAL	MOTOR CLASS	MAP
MAES3010SS600-B	30" Stainless Steel	600 CFM PRO	\$1,129
MAES3610SS600-B	36" Stainless Steel	600 CFM PRO	\$1,199

FEATURES		PERFORMANCE		ACCESSORIES		MAP
<b>Dimensions</b>		<b>Speed</b>		<b>TELEMAES</b>		<b>\$215</b>
Canopy Depth-Height	23" D x 10" H	No. of Fan Speeds	3	Telescopic Chimney Kit (12" - 23" H)		
<b>Ducting</b>		Motor Class		<b>FULL30</b>		<b>\$169</b>
Type	Ducted/Ductless	PRO 600 Metal Implellers		Full Width Cover 30 SS (12" H)		
Duct Size	Vari-Duct - 6" Round Top or Rear Vent	<b>Display</b>		<b>FULL36</b>		<b>\$179</b>
<b>Lighting</b>		Controls		Full Width Cover 36 SS (12" H)		
Type	Energy-Efficient LED	Slider with LED Indicator		<b>FULL48</b>		<b>\$199</b>
# of Bulbs	Three - 5 Watt - 1 Level	<b>Other</b>		Full Width Cover 48 SS (MAES4818SS)		
<b>Grease Filters</b>		ADA Compliant		<b>TRNSPRO*</b>		<b>\$85</b>
Filter Type	Stainless Steel Baffle	With Separate Wall Switch		10" Duct Transition Kit (1200 CFM Hood)		
Dishwasher Safe	Yes	Power Cord Included		<b>CFMRED</b>		<b>\$49</b>
		Yes		CFM Reducer Kit 300 CFM		
				<b>CFMRED2*</b>		<b>\$49</b>
				CFM Reducer Kit 400 CFM		
				<b>WIREBOX</b>		<b>\$45</b>
				Fixed Wiring Box		
				<b>MUDAMPER6</b>		<b>\$399</b>
				6" Make-up Air Kit		
				<b>MUDAMPER8</b>		<b>\$419</b>
				8" Make-up Air Kit		
				<b>MUDAMPER10</b>		<b>\$459</b>
				10" Make-up Air Kit		
				<b>DUCTGRT30</b>		<b>\$219</b>
				Ductless Vent Grate Recirc. Kit 30 (Adds 4" Height)		
				<b>DUCTGRT36</b>		<b>\$229</b>
				Ductless Vent Grate Recirc. Kit 36 (Adds 4" Height)		
				<b>FILTER1</b>		<b>\$55</b>
				Replacement Charcoal Filter Kit (2 x 1200 CFM)		
				<b>FILTER1LL2</b>		<b>\$159</b>
				Long Lasting Charcoal Filter Kit (2 x 1200 CFM)		





LEVANTE  
TIMELESS,  
COMFORTABLE,  
VERSATILE

The simplicity that makes you love it and the ease of use that improves everyday life, with the certainty of constant and enduring reliability.

Levante range hoods are also easy to clean and that satisfies all practical requirements while being remarkably effective in neutralizing fumes, vapors, and odors in the kitchen, making the environment even more comfortable.





# LEVANTE II

[Discover More](#)



MODEL	SIZE/MATERIAL	MOTOR CLASS	MAP
LEVT30SS395	30" Stainless Steel	395 CFM PRO	\$429
LEVT36SS395	36" Stainless Steel	395 CFM PRO	\$459

FEATURES	PERFORMANCE	ACCESSORIES	MAP
<b>Dimensions</b>	<b>Motor</b>	<b>FILTER5</b>	<b>\$35</b>
Canopy Depth-Height	No. of Fan Speed	Charcoal Filter Kit	
21" D x 5 ½" H	4		
<b>Ducting</b>	Motor Class	<b>REMORIG</b>	<b>\$49</b>
Type	395 CFM	Wireless Remote Control	
Ducted/Ductless	Energy-Efficient Motor		
Top Vent	Yes		
Vari-Duct	<b>Display</b>		
7" Round,	Controls		
3 ¼" x 10" Rectangle	Electronic with White LED		
Rear Vent	Intensive Speed		
Vari-Duct	Delay Shut-off		
3 ¼" x 10" Rectangle	10 Minutes		
<b>Lighting</b>	15 Minutes		
Type	<b>Other</b>		
Eneergy-Efficient LED	ADA Compliant		
# of Bulbs	With Remote Control		
Two - 5 Watt - 1 Level	Remote Control		
<b>Grease Filters</b>	Purchase Separately		
Filter Type	Fixed Wiring Box		
Stainless Steel Mesh	Yes		
Dishwasher Safe			
Yes			



[Discover More](#)

# LEVANTE G





MODEL	SIZE/MATERIAL	MOTOR CLASS	MAP
LEVG24SS300	24" Stainless Steel	300 CFM	\$299
LEVG30SS300	30" Stainless Steel	300 CFM	\$309

FEATURES	PERFORMANCE	ACCESSORIES	MAP
<b>Dimensions</b>	<b>Motor</b>	<b>FILTER5</b>	<b>\$35</b>
Canopy Depth-Height	No. of Fan Speeds	Charcoal Filter Kit	
21" D x 5 ½" H	4		
<b>Ducting</b>	Motor Class		
Type	300		
Ducted/Ductless	Energy-Efficient Motor		
Top Vent	Yes		
Vari-Duct	<b>Display</b>		
7" Round,	Controls		
3 ¼" x 10" Rectangle	Electronic Push Button		
Rear Vent	Intensive Speed		
Vari-Duct	10 Minutes		
3 ¼" x 10" Rectangle	<b>Other</b>		
<b>Lighting</b>	ADA Compliant		
Type	No		
Halogen	Fixed Wiring Box		
Two - 35 Watt	Yes		
1 Level			
<b>Grease Filters</b>			
Filter Type			
Mesh			
Dishwasher Safe			
Yes			





 Discover More



**NEW** LEVANTE E




MODEL	SIZE/MATERIAL	MOTOR CLASS	MAP
LEVE24SS200	24" Stainless Steel	200 CFM	\$179
LEVE24WH200	24" White	200 CFM	\$169
LEVE30SS200	30" Stainless Steel	200 CFM	\$209
LEVE30WH200	30" White	200 CFM	\$189

FEATURES	PERFORMANCE	ACCESSORIES	MAP
<b>Dimensions</b>	<b>Motor</b>	<b>FILTER8</b>	<b>\$35</b>
Canopy Depth-Height	No. of Fan Speeds	Charcoal Filter Kit	
21" D x 5 1/2" H	2		
<b>Ducting</b>	Motor Class		
Type	200		
Ducted/Ductless	Energy-Efficient Motor		
Top Vent	Yes		
Vari-Duct	<b>Display</b>		
7" Round, 3 1/4" x 10" Rectangle	Controls		
Rear Vent	Rocker Switch		
Vari-Duct	<b>Other</b>		
3 1/4" x 10" Rectangle	ADA Compliant		
<b>Lighting</b>	With Separate Wall Switch		
Type	Fixed Wiring Box		
Incandescent	Yes		
# of Bulbs			
One - 40 Watt - 1 Level			
<b>Grease Filters</b>			
Filter Type			
Mesh			
Charcoal Filter			
One Included			
Dishwasher Safe			
Yes			

One of the most affordable and powerful stainless steel professional style range hood.

 Discover More



NOTE: SHOWN WITH OPTIONAL CHIMNEY



MODEL	SIZE/MATERIAL	MOTOR CLASS	MAP
OSTR30SS400	30" Stainless Steel	400 CFM	\$699
OSTR36SS400	36" Stainless Steel	400 CFM	\$779

FEATURES	PERFORMANCE	ACCESSORIES	MAP
<b>Dimensions</b>	<b>Motor</b>	<b>TELEMAES</b>	<b>\$215</b>
Canopy Depth-Height	No. of Fan Speeds	Telescopic Chimney Kit (12"-23" H)	
23" D x 10" H	4		
<b>Ducting</b>	Motor Class	<b>FULL30</b>	<b>\$169</b>
Type	400	Full Width Cover 30 SS (12"H)	
Ducted/Ductless	Energy-Efficient Motor	<b>FULL36</b>	<b>\$179</b>
Duct Size	Yes	Full Width Cover 36 SS (12"H)	
Vari-Duct 6" Round Top or Rear Vent	<b>Display</b>	<b>CFMRED2</b>	<b>\$49</b>
<b>Lighting</b>	Controls	CFM Reducer Kit 400 CFM to 300 CFM	
Type	Electronic Push Button	<b>WIREBOX</b>	<b>\$45</b>
# of Bulbs	Intensive Speed	Fixed Wiring Box	
Halogen	10 Minutes	<b>MUDAMPER6</b>	<b>\$399</b>
Two - 35 Watt - 1 Level	<b>Other</b>	6" Make-up Air Kit	
<b>Grease Filters</b>	ADA Compliant	<b>MUDAMPER8</b>	<b>\$419</b>
Filter Type	No	8" Make-up Air Kit	
Dishwasher Safe	Power Cord Included	<b>DUCTGRT30</b>	<b>\$219</b>
Yes	Yes	Ductless Vent Grate Recirc Kit 30 (Adds 4" Height)	
		<b>DUCTGRT36</b>	<b>\$229</b>
		Ductless Vent Grate Recirc Kit 36 (Adds 4" Height)	
		<b>FILTER1</b>	<b>\$55</b>
		Replacement Charcoal Filter Kit	
		<b>FILTER1LL2</b>	<b>\$159</b>
		Long Lasting Charcoal Filter Kit	





# INTEGRATED HOODS

NEW	FLEXA	90
	CRISTAL	93



CLICK SELECTION TO  
ADVANCE TO THE PAGE





### FLEXA STREAMLINED LOOK, SEAMLESS OPERATION


The integrated Flexa slide out hood is ideal for bringing a streamlined, minimalistic look to your kitchen. Its sleek stainless steel pull-out visor slides easily into place when in use, then neatly tucks away when not in use. For a customized look, the front strip can be replaced with material that matches the kitchen cabinetry.

The Easy Snap system with internal self-latching clips will have this range hood installed in no time at all.





Stainless Steel pull-out visor slides in, neatly tucking the hood away. For a customized look, the front strip can be replaced with material to match kitchen.



NOTE: 24" MODEL SHOWN




NEW FLEXA

MODEL	SIZE/MATERIAL	MOTOR CLASS	MAP
FLEX24SS300	24" Stainless Steel	300 CFM	\$449
FLEX30SS300	30" Stainless Steel	300 CFM	\$479

FEATURES	PERFORMANCE	ACCESSORIES	MAP
<b>Dimensions</b> Cabinet Cut Out 24" 19 3/4" W x 10 3/8" D 30" 23 1/4" W x 10 3/8" D	<b>Motor</b> No. of Fan Speeds 3 Motor Class 300 Auto-On/Off Fan and Lights Activate When Pulled-out and Pushed-In	<b>FILTER7</b> Charcoal Filter Kit	<b>\$55</b>
<b>Ducting</b> Type Ducted/Ductless With FILTER7 Duct Size 5" RoundTop Vent	<b>Display</b> Controls Slider		
<b>Lighting</b> Type Energy-Efficient LED # of Bulbs Two - 4 Watt - 1 Level	<b>Other</b> ADA Compliant With Separate Wall Switch Power Cord Included Yes		
<b>Grease Filters</b> Filter Type Mesh Dishwasher Safe Yes			
<b>Easy Snap Clip Installation</b> Clips Included			

A seamless integrated range hood. Easy to install, powerful and energy-efficient.



CRISTAL

MODEL	SIZE/MATERIAL	MOTOR CLASS	MAP
CRIS30SS600	30" Stainless Steel	600 CFM	\$769
CRIS36SS600	36" Stainless Steel	600 CFM	\$809
CRIS30SS400	30" Stainless Steel	400 CFM	\$759
CRIS36SS400	36" Stainless Steel	400 CFM	\$799
CRIS30SS300	30" Stainless Steel	300 CFM	\$749
CRIS36SS300	36" Stainless Steel	300 CFM	\$789

FEATURES	PERFORMANCE	ACCESSORIES	MAP
<b>Dimensions</b> Cabinet Cut Out 30" 25 1/8" W x 10" D 36" 31 1/8" W x 10" D	<b>Motor</b> No. of Fan Speeds 3 Motor Class 300/400/600 Auto-On/Off Fan and Lights Activate When Pulled-out and Pushed-In Energy-Efficient Motor Yes	<b>FILTER1</b> Charcoal Filter Kit	<b>\$55</b>
<b>Ducting</b> Type Ducted/Ductless With FILTER1/FILTER1LL2 Duct Size Vari-Duct - 6" Round Top or Rear Vent	<b>Display</b> Controls Slider	<b>FILTER1LL2</b> Long Lasting Charcoal Filter Kit	<b>\$159</b>
<b>Lighting</b> Type Energy-Efficient LED # of Bulbs Two - 5 Watt - 1 Level	<b>Other</b> ADA Compliant With Separate Wall Switch Power Cord Included Yes	<b>MUDAMPER6</b> 6" Make-up Air Kit	<b>\$399</b>
<b>Grease Filters</b> Filter Type Mesh Dishwasher Safe Yes		<b>MUDAMPER8</b> 8" Make-up Air Kit	<b>\$419</b>
<b>Easy Snap Clip Installation</b> Clips Included		<b>WIREBOX</b> Fixed Wiring Box	<b>\$45</b>





# DOWN DRAFT HOODS


SCIROCCO LUX	96
SCIROCCO PLUS	97





CLICK SELECTION TO  
ADVANCE TO THE PAGE



Positioned next to the cooktop this downdraft hood is in the ideal place for efficient extraction. Additionally, the LED light bar illuminates the cooking area in front of the Scirocco Lux when in use.

 Discover More



# SCIROCCO LUX

MODEL	SIZE/MATERIAL	MOTOR CLASS	MAP
SCLX3015BKNB-B	30" Blk Glass w/SS	No Blower	\$2,199
SCLX3615BKNB-B	36" Blk Glass w/SS	No Blower	\$2,249


BLOWERS	MAP
IBDD600-B	Internal Blower 600 CFM PRO \$359
RB900	Remote Blower 900 CFM - Requires WIREBOXSCLX \$1,029
RB1200	Remote Blower 1200 CFM - Requires WIREBOXSCLX \$1,209
AXP250	In-Line Blower 735 CFM - Requires WIREBOXSCLX & FLANGE10 \$545


FEATURES	PERFORMANCE	ACCESSORIES	MAP
<b>Ducting</b>	<b>Motor</b>	<b>MUDAMPER6</b>	<b>\$399</b>
Type	No. of Fan Speeds 4	6" Make-up Air Kit	
Duct Size	Motor Class PRO - 3 Options	<b>MUDAMPER8</b>	<b>\$419</b>
Multiple Ducting	Perimeter Aspiration Yes	8" Make-up Air Kit	
<b>Lighting</b>	Reversible Motor Yes	<b>MUDAMPER10</b>	<b>\$459</b>
Type	<b>Display</b>	10" Make-up Air Kit	
# of Bulbs	Controls	<b>DUCTSCIR</b>	<b>\$325</b>
<b>Grease Filters</b>	Electronic Soft Touch Controls	Ductless Conversion Kit	
Filter Type	Intensive Speed 10 Minutes	<b>REMORIG</b>	<b>\$49</b>
Dishwasher Safe	Delay Shut-off 30 Minutes	Wireless Remote Control	
Anti-Pollution Mode	<b>Other</b>	<b>WIREBOXSCLX</b>	<b>\$55</b>
	ADA Compliant With Remote Control	Wire Box for Remote & In-Line Blowers	
	Remote Control Purchase Separately	<b>CFMRED</b>	<b>\$49</b>
	Power Cord Included Yes	CFM Reducer Kit 300 CFM	
		<b>CFMRED2</b>	<b>\$49</b>
		CFM Reducer Kit 400 CFM	
		<b>FLANGE10</b>	<b>\$85</b>
		Required for AXP250	
		<b>FLANGE3</b>	<b>\$119</b>
		10" Round to 3 1/4" x 10" Flange	
		MUDAMPER10 for use with 900/1200 CFM motors. WIREBOXSCLX Required for SCLX with external blowers	



The Scirocco Plus down draft hood boasts an elegant and discreet design as well as excellent extraction technology.

Designed to be built into the counter top, this downdraft hood is completely hidden.

 Discover More



# SCIROCCO PLUS

MODEL	SIZE/MATERIAL	MOTOR CLASS	MAP
SCIR3014SSNB-B	30" Stainless Steel	No Blower	\$1,499
SCIR3614SSNB-B	36" Stainless Steel	No Blower	\$1,549

BLOWERS	MAP
IBDD600-B	Internal Blower 600 CFM PRO \$359
RB900	Remote Blower 900 CFM \$1,029
RB1200	Remote Blower 1200 CFM \$1,209
AXP250	In-Line Blower 735 CFM (Requires FLANGE10) \$545

FEATURES	PERFORMANCE	ACCESSORIES	MAP
<b>Ducting</b>	<b>Speed</b>	<b>MUDAMPER6</b>	<b>\$399</b>
Type	No. of Fan Speeds Variable	6" Make-up Air Kit	
Duct Size	Motor Class PRO - 3 Options	<b>MUDAMPER8</b>	<b>\$419</b>
Multiple Ducting	Reversible Motor Yes	8" Make-up Air Kit	
<b>Lighting</b>	<b>Display</b>	<b>MUDAMPER10</b>	<b>\$459</b>
Type	Controls	10" Make-up Air Kit	
<b>Grease Filters</b>	Variable Speed Slider with On/Off Button	<b>DUCTSCIR</b>	<b>\$325</b>
Filter Type	Auto-Off Yes	Ductless Conversion Kit	
Dishwasher Safe	<b>Other</b>	<b>CFMRED</b>	<b>\$49</b>
	Fixed Wiring Box Yes	CFM Reducer Kit 300 CFM	
		<b>CFMRED2</b>	<b>\$49</b>
		CFM Reducer Kit 400 CFM	
		<b>FLANGE10</b>	<b>\$85</b>
		Required for AXP250	
		<b>FLANGE3</b>	<b>\$119</b>
		10" Round to 3 1/4" x 10" Flange	
		MUDAMPER10 for use with 900 / 1200 CFM motors	





# ICONIC HOODS

ZOOM	100
CHOLE	104
CYLINDRA	106
CYLINDRA ISOLA	107



CLICK SELECTION TO  
ADVANCE TO THE PAGE





## ZOOM UP AND DOWN MOTION RANGE HOOD

The Zoom island hood features the unique Faber Up & Down technology that brings the hood towards the cooktop during cooking and raises it back to the ceiling when finished.

Comprised of stainless steel with LED lights, the Zoom island hood is a sophisticated and powerful addition to the kitchen.

Choose the Zoom Island Hood (ZOOMIS16SS400-B) by itself or Zoom Island Hood plus Ceiling Light Fixture (ZOOMIL16SS400).

Vanilla or Oceana shades kits pair with the (ZOOMIL16SS400).






Note: Shown with Vanilla shade kit



TECHNOLOGY IN CYLINDRICAL FORM  
The Zoom island hoods were created to represent the perfect integration of design and well-being. The design is absolutely extraordinary and astounds the observer due to its ability to revolutionize the concept of cooktop hood lighting, transforming it into a real point of light for the kitchen area. The products are technologically advanced and perfectly shaped, offering freedom of movement within the cooking zone. In a simple movement, elegance becomes functionality.

 [Discover More](#)



# ZOOM




MODEL	SIZE/MATERIAL	MOTOR CLASS	MAP
ZOOMIL16SS400	16" Stainless Steel	400 CFM - With Ceiling Light Fixture	\$2,799
ZOOMIS16SS400-B	16" Stainless Steel	400 CFM - Cylinder Only	\$2,399


FEATURES		PERFORMANCE		ACCESSORIES	MAP
<b>Dimensions</b>		<b>Motor</b>		<b>FILTER1</b>	<b>\$55</b>
Ceiling Height		No. of Fan Speeds	5	Replacement Charcoal Filter Kit	
ZOOMIL	8" Min. - 9" Min.	Motor Class	400	<b>FILTER1LL2</b>	<b>\$159</b>
ZOOMIS	7" Min. - 9" Min.	Perimeter Aspiration	Yes	Long Lasting Charcoal Filter Kit	
<b>Ducting</b>		Up/Down Technology	Yes	<b>VANILLA-SH</b>	<b>\$999</b>
Type	Recirculating	<b>Display</b>		Vanilla Glass Shade	
Duct Size	Ductless Charcoal filters included	Controls	LED Digital	Use With ZOOMIL16SS400	
<b>Lighting</b>		Intensive Speed	10 Minutes	<b>OCEANA-SH</b>	<b>\$599</b>
Type	Energy-Efficient LED	Delay Shut-off	30 Minutes	Oceana Stainless Shade	
# of Bulbs		<b>Other</b>		Use With ZOOMIL16SS400	
ZOOMIL	Four - 1 Watt - 1 Level	ADA Compliant	With Remote Control		
ZOOMIS	Four - 1 Watt - 1 Level	Remote Control	Included		
<b>Grease Filters</b>		Fixed Wiring Box	Yes		
Filter Type	Mesh				
Dishwasher Safe	Yes				
Anti-Pollution Mode	24 Hour				





The Chloe combines innovative technology with a rustic style. The Faber extraction technology, Perimeter Aspiration, means that Chloe is a reliable addition to the kitchen. With the ability to be ducted or used in recirculating mode, the Chloe would make a stunning addition to any kitchen design.

 Discover More



# CHLOE



MODEL	SIZE/MATERIAL	MOTOR CLASS	MAP
CHLO28BK600	28" Painted Black	600 CFM	\$1,349
CHLO36BK600	36" Painted Black	600 CFM	\$1,449



FEATURES		PERFORMANCE	ACCESSORIES	MAP
<b>Dimensions</b>		<b>Motor</b>	<b>FILTER1</b>	<b>\$55</b>
Ceiling Height	See page 111	No. of Fan Speeds	Charcoal Filter Kit	
Canopy Depth-Height	13 3/4" D x 12 5/8" H	Motor Class	<b>FILTER1LL2</b>	<b>\$159</b>
<b>Ducting</b>		Perimeter Aspiration	Long Lasting Charcoal Filter Kit	
Type	Ducted/Ductless With FILTER1/FILTER1LL2	Energy-Efficient Motor	<b>CHIMCHBK</b>	<b>\$179</b>
Duct Size	Vari-Duct 6" Top or Rear Vent	<b>Display</b>	Black Chimney Kit (14 15/16" x 29 9/16"H)	
<b>Lighting</b>		Controls	<b>CFMRED</b>	<b>\$49</b>
Type	LED Light Bar	Intensive Speed	CFM Reducer Kit 300 CFM	
# of Bulbs	One 3 Watt - 2 level	<b>Other</b>	<b>CFMRED2</b>	<b>\$49</b>
Light Dimmer	Yes	ADA Compliant	CFM Reducer Kit 400 CFM	
<b>Grease Filters</b>		Remote Control	<b>REMORIG</b>	<b>\$49</b>
Filter Type	Mesh	Fixed Wiring Box	Wireless Remote Control	
Dishwasher Safe	Yes		<b>MUDAMPER6</b>	<b>\$399</b>
Filter Wash Alarm	Yes		6" Make-up Air Kit	
			<b>MUDAMPER8</b>	<b>\$419</b>
			8" Make-up Air Kit	
			<b>MUDAMPER10</b>	<b>\$459</b>
			10" Make-up Air Kit	





This beautiful stainless steel Cylindra wall hood features energy-saving LED lighting to illuminate the cooktop below.

Alongside four extraction settings, the Cylindra also includes an intensive speed function to boost extraction power. The Perimeter Aspiration technology helps to reduce the hood's noise and increase extraction efficiency.



# CYLINDRA





MODEL	SIZE/MATERIAL	MOTOR CLASS	MAP
CYLN15SS600	15" Stainless Steel	600 CFM PRO	\$1,799

FEATURES		PERFORMANCE		ACCESSORIES	MAP
<b>Dimensions</b>		<b>Motor</b>		<b>FILTER2</b>	<b>\$45</b>
Ceiling Height	See page 111	No. of Fan Speeds	4	Charcoal Filter Kit	
<b>Ducting</b>		Motor Class	PRO 600 Metal Impellers	<b>CFMRED</b>	<b>\$49</b>
Type	Ducted/Ductless with FILTER2	Perimeter Aspiration	Yes	CFM Reducer Kit 300 CFM	
Duct Size	Vari-Duct 6" Round Top	<b>Display</b>		<b>CFMRED2</b>	<b>\$49</b>
<b>Lighting</b>		Controls	LED Digital	<b>REMORIG</b>	<b>\$49</b>
Type	Energy-Efficient LED	Intensive Speed	10 Minutes	Wireless Remote Control	
# of Bulbs	Two - 1 Watt - 2 level	<b>Other</b>		<b>MUDAMPER6</b>	<b>\$399</b>
<b>Grease Filters</b>		ADA Compliant	With Remote Control	<b>MUDAMPER8</b>	<b>\$419</b>
Filter Type	Mesh	Remote Control	Purchase Separately	8" Make-up Air Kit	
Dishwasher Safe	Yes	Fixed Wiring Box	Yes		
Anti-Pollution Mode	24 Hour				
Filter Wash Alarm	Yes				



With a cylindrical body which is mounted directly to the ceiling, the Cylindra Isola is a slim line, modern design cooker hood that is perfect for island kitchen designs.

Two LED lights are fitted to the hood to light up the cooktop perfectly and a remote control is available as an accessory to provide maximum ease of use.



# CYLINDRA ISOLA

MODEL	SIZE/MATERIAL	MOTOR CLASS	MAP
CYLNIS15SS600	15" Stainless Steel	600 CFM PRO	\$2,049

FEATURES		PERFORMANCE		ACCESSORIES	MAP
<b>Dimensions</b>		<b>Speed</b>		<b>FILTER2</b>	<b>\$45</b>
Ceiling Height	See page 111	No. of Fan Speeds	4	Charcoal Filter Kit	
<b>Ducting</b>		Motor Class	PRO 600 Metal Impellers	<b>CFMRED</b>	<b>\$49</b>
Type	Ducted/Ductless with FILTER2	Perimeter Aspiration	Yes	CFM Reducer Kit 300 CFM	
Duct Size	Vari-Duct 6" Round Top	<b>Display</b>		<b>CFMRED2</b>	<b>\$49</b>
<b>Lighting</b>		Controls	LED Digital	<b>REMORIG</b>	<b>\$49</b>
Type	Energy-Efficient LED	Intensive Speed	10 Minutes	Wireless Remote Control	
# of Bulbs	Two - 1 Watt - 2 level	<b>Other</b>		<b>MUDAMPER6</b>	<b>\$399</b>
<b>Grease Filters</b>		ADA Compliant	With Remote Control	<b>MUDAMPER8</b>	<b>\$419</b>
Filter Type	Mesh	Remote Control	Purchase Separately	8" Make-up Air Kit	
Dishwasher Safe	Yes	Fixed Wiring Box	Yes		
Anti-Pollution Mode	24 Hour				
Filter Wash Alarm	Yes				



Model #	Item Description	Includes	Models Compatible with
BAFFLE2	30" Baffle Grease Filter	(2) Stainless Baffle Filters	Glassy Isola, Tender
BAFFLE3	36" Baffle Grease Filter	(3) Stainless Baffle Filters	Tender
CFMRED	CFM Reducer Kit	Reducer	Bella, Bella Isola, Camino Pro, Chloe, Cylindra, Cylindra Isola, Diamante, Maestrale 10, Maestrale 18, Scirocco Plus, Scirocco Lux,
CFMRED2	CFM Reducer Kit	Reducer	Bella, Bella Isola, Camino Pro, Chloe, Cylindra, Cylindra Isola, Diamante, Maestrale 10, Maestrale 18, Ostro, Scirocco Plus, Scirocco Lux,
CHIM2224	SS Chimney Kit 36" - 8 - 9 feet	Chimney And Hardware	Camino Pro 36 ONLY
CHIM2248	SS Chimney Kit 36" - 9 - 11 feet	Chimney And Hardware	Camino Pro 36 ONLY
CHIM3424	SS Chimney Kit 48" - 8 - 9 feet	Chimney And Hardware	Camino Pro 48 ONLY
CHIM3448	SS Chimney Kit 48" - 9 - 11 feet	Chimney And Hardware	Camino Pro 48 ONLY
CHIMCHBK	Black Chimney Kit	Chimney And Hardware	Chloe BK
DUCT2	Ductless Kit	Chimney, Diverter, Vent Grids, Charcoal	Bella Isola, Dama Isola, Glassy Isola
DUCT4	Ductless Kit	Charcoal, Diverter	Bella, Dama, Stilo, Tratto
DUCT5	Ductless Kit	Charcoal, Diverter	Nova Pro
DUCTCLPL	Ductless Kit	Charcoal, Diverter	Classica Plus
DUCTTNDR	Ductless Kit	Charcoal, Diverter	Tender
DUCTDIAM	Ductless Kit	Chimney, Diverter, Grids, Charcoal	Diamante
DUCTGRT30	Ductless Kit	Ss Box With Grills, Charcoal	Maestrale 10, Maestrale 18, Ostro
DUCTGRT36	Ductless Kit	Ss Box With Grills, Charcoal	Maestrale 10, Maestrale 18, Ostro
DUCTSCIR	Ductless Kit	Transition Box, Kick Plate, Charcoal	Scirocco Lux, Scirocco Plus
FILTER1	Charcoal Filter	Charcoal	Camino Pro, Chloe, Classica Plus, Cristal, Inca HC, Inca SD, Inca In Light, Inca Lux, Inca Pro Plus, Inca Smart SS, High-Light, Maestrale 10, Maestrale 18, Nova Pro, Ostro, Stratus, Tender, Zoom
FILTER1LL2	Long Lasting Charcoal Filter	Charcoal	Camino Pro, Chloe, Classica Plus, Cristal, Inca HC, Inca SD, Inca In Light, Inca Lux, Inca Pro Plus, Inca Smart SS, High-Light, Maestrale 10, Maestrale 18, Nova Pro, Ostro, Stratus, Tender, Zoom
FILTER2	Charcoal Filter	Charcoal	Bella, Bella Isola, Cylindra, Cylindra Isola, Dama, Dama Isola, Diamante, Glassy Isola, Stilo, Tratto
FILTER4	Charcoal Filter	Charcoal	Inca Smart GR / SS 240 cfm
FILTER5	Charcoal Filter	Charcoal	Levante G, Levante 2
FILTER7	Charcoal Filter Round Flexa	Charcoal	Flexa
FILTER8	Charcoal Filter Levante E	Charcoal	Levante E
FLANGE10	Duct Plate	10" Duct plate	High-Light, Scirocco Lux, Scirocco Plus, Stratus
FLANGE3	3 1/4 x 10" transition	10" Round to 3 1/4" x 10" Rectangle Flange	High-Light, Scirocco Lux, Scirocco Plus, Stratus
FULL30	30" Full Width Chimney	Chimney And Hardware	Maestrale 10, Maestrale 18, Ostro
FULL36	36" Full Width Chimney	Chimney And Hardware	Maestrale 10, Maestrale 18, Ostro

Model #	Item Description	Includes	Models Compatible with
FULL36	36" Full Width Chimney	Chimney And Hardware	Maestrale 10, Maestrale 18, Ostro
FULL48	48" Full Width Chimney	Chimney And Hardware	Maestrale 18
HIGH2	High Ceiling Chimney Kit	1 Tall Upper Chimney And Internal Structure	Bella Isola, Dama Isola, Glassy Isola
HIGH3	High Ceiling Chimney Kit	2 Tall Chimneys	Bella, Dama, Nova Pro, Stilo, Tratto
HIGHCLPL	High Ceiling Chimney Kit	2 Tall Chimneys	Classica Plus
HIGHDIAM	High Ceiling Chimney Kit	1 Tall Upper Chimney	Diamante
HIGHTNDR	High Ceiling Chimney Kit	1 Tall Upper Chimney	Tender
INLBKIT	In-Line Blower Kit	10" Duct Plate With Wiring Box	Inca Pro Plus
LINE30ST	Standard Liner 30"	Liner With Hardware	Inca HC 29, Inca In Light 28, Inca Lux 28, Inca SD 29, Inca Smart 28
LINE36PT	Pro Liner 36"	Liner With Hardware	Inca HC 35, Inca In Light 35, Inca Lux 35, Inca SD 35
LINE36ST	Standard Liner 36"	Liner With Hardware	Inca HC 29 ,Inca In Light 28, Inca Lux 28, Inca SD 29, Inca Smart 28
LINSPT301228	Self Supporting Liner 30 x 12	30" wide self supporting liner with hardware (check model compatibility)	Inca Smart 28, Inca In Light 28, Inca Lux 28
LINSPT361228	Self Supporting Liner 30 x 12	36" wide self supporting liner with hardware (check model compatibility)	Inca Smart 28, Inca In Light 28, Inca Lux 28
MUDAMPER10	10" Make Up Air Damper	Damper, Switch And Transformer	High-Light, Inca Pro Plus, Maestrale 18, Scirocco Lux, Scirocco Plus, Stratus, Camino Pro
MUDAMPER6	6" Make Up Air Damper	Damper, Switch And Transformer	Bella, Bella Isola, Camino Pro, Chloe, Classica Plus, Cristal, Cylindra, Cylindra Isola, Dama, Dama Isola, Diamante, Glassy Isola, High-Light, Inca HC, Inca In Light, Inca Lux, Inca SD, Inca Pro Plus, Maestrale 10, Maestrale 18, Nova Pro, Ostro, Scirocco Lux, Scirocco Plus, Stilo, Stratus, Tender, Tratto,
MUDAMPER8	8" Make Up Air Damper	Damper, Switch And Transformer	Bella, Bella Isola, Camino Pro, Chloe, Classica Plus, Cristal, Cylindra, Cylindra Isola, Dama, Dama Isola, Diamante, Glassy Isola, High-Light, Inca HC, Inca In Light, Inca Lux, Inca SD, Inca Pro Plus, Maestrale 10, Maestrale 18, Nova Pro, Ostro, Scirocco Lux, Scirocco Plus, Stilo, Stratus, Tender, Tratto,
OCEANA-SH	Oceana stainles steel shade	Shade	Zoom IL Only
REMORIG	Wireless Remote Control	Remote Control	Bella, Bella Isola, Chloe, Classica Plus, Cylindra, Cylindra Isola, Dama, Dama Isola, Glassy Isola, Inca HC, Inca Lux, Inca SD, Levante II, Nova Pro, Scirocco Lux, Stilo, Tender, Tratto
TELEMAES	Telescopic Chimney Kit	2 Chimneys With Hardware	Maestrale 10, Maestrale 18, Ostro
TRNSPRO	10" Ducting Transition	Galvanized Metal Transition	Maestrale 18
VANILLA-SH	Vanilla glass shade	Shade	Zoom IL Only
WIREBOX	Fixed Wiring Box	Wiring Box With Hood Cabling	Bella, Classica Plus, Cristal, Dama, Inca HC, Inca Lux, Inca In Light, Inca SD, Inca Smart, Maestrale 10, Maestrale 18, Nova Pro, Ostro, Stilo, Tender, Tratto
WIREBOXSCLX	Fixed Wire Box (Rb Only)	Wiring Box With Hood Cabling	Scirocco Lux



CEILING MINIMUM / MAXIMUM HEIGHTS

INDEX

	Ducted Minimum 24" OFF	Ducted Maximum 30" OFF	Recirculating Minimum 24" OFF	Recirculating Maximum 30" OFF	High Ceiling Minimum 24" OFF	High Ceiling Maximum 30" OFF
WALL CHIMNEY						
Bella	7' 9 1⁄16"	9' 2 1⁄8"	7' 9 1⁄16"	9' 2 1⁄8"	8' 9 3⁄8"	11' 5⁄8"
Chloe*	7' 2 3⁄8"	8' 8 3⁄16"	7' 2 3⁄8"	8' 8 3⁄16"	N/A	N/A
Camino 24" tall *	7' 7"	8' 11 7⁄8"	7' 7"	8' 11 7⁄8"	N/A	N/A
Camino 48" tall *	8' 1"	10' 11 7⁄8"	8' 1"	10' 11 7⁄8"	N/A	N/A
Classica Plus	7' 5 9⁄16"	9' 5 1⁄4"	7' 9 1⁄16"	9' 5 1⁄4"	8' 11 1⁄16"	11' 8 1⁄16"
Cylindra	7' 11 1⁄16"	8' 5 1⁄16"	7' 11 1⁄16"	8' 5 1⁄16"	N/A	N/A
Dama	7' 2 5⁄16"	9' 1⁄16"	7' 7 1⁄16"	9' 1⁄16"	9' 1 9⁄16"	11' 2 5⁄8"
Diamante	7' 5 3⁄4"	8' 9 3⁄4"	7' 11 3⁄8"	8' 10 1⁄2"	9' 4 3⁄8"	10' 8 5⁄8"
Nova Pro	7' 5"	8' 11 3⁄8"	7' 5"	8' 11 3⁄8"	9' 3⁄8"	11' 8 7⁄8"
Stilo	7' 8 1⁄16"	9' 3⁄4"	7' 8 1⁄16"	9' 3⁄4"	8' 9 3⁄8"	11' 3⁄16"
Tender	7' 7 1⁄2"	9' 10 3⁄4"	8' 2 3⁄16"	9' 10 3⁄4"	9' 6 1⁄16"	11' 4 1⁄2"
Tratto	7' 8 1⁄8"	9' 3⁄16"	7' 8 1⁄8"	9' 3⁄16"	8' 8 1⁄16"	11' 3⁄16"
ISLAND CHIMNEY						
Bella Isola	7' 5 3⁄8"	8' 11 3⁄8"	7' 9 3⁄4"	8' 11 3⁄8"	9' 8 7⁄8"	10' 6 13⁄16"
Cylindra Isola	7' 6 5⁄16"	8' 11 13⁄16"	7' 10 1⁄4"	8' 11 13⁄16"	N/A	N/A
Dama Isola	7' 8 1⁄4"	9' 3"	8' 5⁄8"	9' 3"	10' 3⁄16"	10' 10 1⁄8"
Glassy Isola	7' 4 5⁄8"	8' 10 5⁄8"	7' 9"	8' 10 5⁄8"	9' 8 1⁄8"	10' 6 1⁄16"

	Ducted Minimum 35" OFF	Ducted Maximum 72" OFF	Recirculating Minimum 35" OFF	Recirculating Maximum 72" OFF	High Ceiling Minimum N/A	High Ceiling Maximum N/A
CEILING HOOD						
High Light Isola	5' 11"	9' 0"	5' 11"	9' 0"	N/A	N/A
Stratus Isola	5' 11"	9' 0"	5' 11"	9' 0"	N/A	N/A

NOTE: All minimums at 24" off the stove, maximums at 30" off the stove  
NOTE: \*Chloe & Camino include Chimney Duct Cover Accessory (sold separately)  
NOTE: Island Hoods can be adjusted to lower min. Refer to specific model's U&C Guide.  
NOTE: For planning purposes only, see install instructions for final heights

Part #	Page
AXP250	51, 55, 69, 96, 97
BAFFLE2	44, 59
BAFFLE3	44
BELA30SS600-B	30
BELA36SS600-B	30
BELAIS36SS600-B	57
BELAIS42SS600-B	57
BELAIS48SS600	57
CAPR36SS1200	79
CAPR36SS600	79
CAPR48SS1200	79

CFMRED	30, 31, 57, 79, 80, 81, 96, 97, 105, 106,107
--------	--

CFMRED2	30, 31, 57, 79, 80, 81, 87, 96, 97, 105, 106, 107
---------	---

CHIM2224	79
CHIM2248	79
CHIM3424	79
CHIM3448	79
CHIMCHBK	105
CHLO28BK600	105
CHLO36BK600	105
CLPL30SSV	43
CLPL36SSV	43
CRIS30SS300	93
CRIS30SS400	93
CRIS30SS600	93
CRIS36SS300	93
CRIS36SS400	93
CRIS36SS600	93
CYLN15SS600	106
CYLNIS15SS600	107
DAMA30SSV	35
DAMA36SSV	35
DAM AIS36SSV	56
DAM AIS42SSV	56
DIAM30SS	31
DIAM36SS	31
DIAM48SS	31
DUCT2	56, 57, 59
DUCT4	29, 30, 35, 45
DUCT5	39
DUCTCLPL	43
DUCTDIAM	31

Part #	Page
DUCTGRT30	80, 81, 87
DUCTGRT36	80, 81, 87
DUCTSCIR	96, 97
FILTER1	39, 43, 44, 51, 55, 64, 65, 69, 72, 73, 74, 79, 80, 81, 87, 93, 103, 105
FILTER1LL2	39, 43, 44, 51, 55, 64, 65, 69, 72, 73, 74, 79, 80, 81, 87, 93, 103, 105

FILTER2	29, 30, 31, 35, 45, 56, 57, 59, 106, 107
FILTER4	74, 75
FILTER5	84, 85
FILTER7	92
FILTER8	86
FLANGE10	51, 55, 96, 97
FLANGE3	51, 55, 96, 97
FLEX24SS300	92
FLEX30SS300	92
FULL30	80, 81, 87
FULL36	80, 81, 87
FULL48	80, 81
GLASIS36SSV	59
HIGH2	56, 57, 59
HIGH3	29, 30, 35, 39, 45
HIGHCLPL	43
HIGHDIAM	31
HIGHTNDR	44
HILTIS36SSNB	55
HILTIS36WHNB	55

IB1200	69
IB300	51, 55, 69
IB400	51, 55, 69
IB600	51, 55, 69
IBDD600-B	96, 97
INHC29SSV	64
INHC35SSV	64
INLBKIT	69
INLT21SSV	72
INLT28SSV	72
INLT35SSV	72
INLX21SSV	73
INLX28SSV	73
INLX35SSV	73
INPL3019SSNB-B	69

Part #	Page
INPL3619SSNB-B	69
INPL3622SSNB-B	69
INPL4219SSNB-B	69
INPL4819SSNB-B	69
INPL4822SSNB-B	69
INSD29SSV	65
INSD35SSV	65
INSM21GR240	75
INSM28GR240	75
INSP28SS240	74
INSP28SS400	74
INSP28SS600	74
LEVE24SS200	86
LEVE24WH200	86
LEVE30SS200	86
LEVE30WH200	86
LEVG24SS300	85
LEVG30SS300	85
LEVT30SS4395	84
LEVT36SS4395	84
LINE30ST	64, 65, 72, 73, 74, 75
LINE36PT	64, 65, 72, 73,
LINE36ST	64, 65, 72, 73, 74, 75
LINSPT301228	72, 73, 74, 75
LINSPT361228	72, 73, 74, 75
MAES3010SS600-B	81
MAES3018SS600-B	80
MAES3610SS600-B	81
MAES3618SS1200-B	80
MAES3618SS600-B	80
MAES4818SS1200-B	80

MUDAMPER10	51, 55, 69, 79, 80, 81, 96, 97, 105
------------	-------------------------------------

MUDAMPER6	29, 30, 31, 35, 39, 43, 44, 45, 51, 55, 56, 57, 59, 64, 65, 69, 72, 73, 79, 80, 81, 87, 93, 96, 97, 105, 106, 107
-----------	---

MUDAMPER8	29, 30, 31, 35, 39, 43, 44, 45, 51, 55, 56, 57, 59, 64, 65, 69, 72, 73, 79, 80, 81, 87, 93, 96, 97, 105, 106, 107
NOPR30SSV	39
NOPR36SSV	39



Part #	Page
OCEANA-SH	103
OSTR30SS400	87
OSTR36SS400	87
RB1200	51, 55, 69, 96, 97
RB900	51, 55, 69, 96, 97
REMORIG	29, 30, 35, 39, 43, 44, 45, 56, 59, 64, 65, 73, 84, 96, 105, 106, 107
SCIR3014SSNB-B	97
SCIR3614SSNB-B	97
SCLX3015BKNB-B	96
SCLX3615BKNB-B	96
STIL24SSV2	29
STIL30SSV2	29
STIL36SSV2	29
STIL48SSV2	29
STRTIS36SSNB	51
STRTIS36WHNB	51
STRTIS48SSNB	51
STRTIS48WHNB	51
TELEMAES	80, 81, 87
TEND30SSV	44
TEND36SSV	44
TRAT30SSV	45
TRAT36SSV	45
TRNSPRO	80, 81
VANILLA-SH	103
WIREBOX	29, 30, 35, 39, 43, 44, 45, 64, 65, 72, 73, 74, 80, 81, 87, 93
WIREBOXSCLX	96
ZOOMIL16SS400	103
ZOOMIS16SS400-B	103

FRANKE HOME SOLUTIONS WARRANTY FOR FRANKE AND FABER BRANDED PRODUCT

EFFECTIVE MARCH 1, 2022

In the United States, Canada and Latin America, Franke warrants the Faber branded products from manufacturing defects in material and workmanship when purchased from a Franke or Faber Authorized Retailer pursuant to product-specific warranties detailed herein (each, a “Warranty” and collectively, the “Warranties”). The products must be properly installed, per Franke’s installation instructions, in their original installation, and used in normal indoor residential kitchen applications. Any products or components which have been modified or altered from their original intended condition will void the Warranty. The Franke Warranties for Faber branded products are limited to the original purchaser and are non-transferrable. These Warranties do not include products purchased from non-Authorized Retailers, products that are obsolete or discontinued, or products that were previous display models. All issues with installed products are considered warranty claims and not subject to the Return Policy. Franke reserves the right to inspect any Franke / Faber product reported to be defective pursuant to a Warranty claim and the original installation prior to providing a replacement product and/or component. All decisions are final. In no situation shall the liability of Franke exceed the amount of the original purchase price.

The Warranties do not cover, and Franke shall not be liable for, any damage to products or components resulting from misuse or abuse, accidental damages, normal wear such as scuffs, scratches or finish reduction/ fading, improper installation, abnormal usage, negligence, damage caused by improper maintenance or cleaning. Damage caused by impurities, corrosive chemicals or acts beyond Franke’s control are not covered by any Warranty. Service calls to correct the installation of a range hood, instructions on how to operate a range hood, to replace or repair house fuses or to correct house wiring or plumbing are not covered by any Warranty. Service calls to repair or replace range hood light bulbs, fuses or filters and these consumable part costs are also excluded from Warranty coverage. Installation not in accordance with electrical or plumbing codes or Franke / Faber documentation are not covered by any Warranty. Replacement parts or repair labor costs for units operated outside the United States, Canada or Latin America, including any non-UL or C-UL or non-NOM approved Franke / Faber range hoods are excluded from Warranty coverage. Expenses for travel and transportation for service in remote locations and pickup and delivery charges are not covered by any Warranty. Franke / Faber range hoods should always be serviced in the home in their original installation.

Franke / Faber product replacements do not include liability for project delays. Product replacements are not guaranteed to be exact replacements. If the original product is not available at the time of the warranty claim, at Franke’s option, the product replacements will be of similar size, material, and value. Any products or components which have been modified or altered, from its original intended condition will void the warranty.

The Warranties do not allow recovery of incidental or consequential damages such as loss of use, delay, property damage or other consequential damage, and Franke accepts no liability for such damages. Each Warranty is limited to the conditions set forth herein and to the applicable warranty period specified herein and is exclusive. EXCEPT FOR THE WARRANTIES SET FORTH HEREIN, FRANKE MAKES NO WARRANTY WHATSOEVER WITH RESPECT TO THE PRODUCTS, INCLUDING, BUT NOT LIMITED TO, (1) ANY WARRANTY OF MERCHANTABILITY, (2) WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE, (3) WARRANTY OF TITLE, OR (4) WARRANTY AGAINST INFRINGEMENT OF INTELLECTUAL PROPERTY RIGHTS OF A THIRD PARTY, WHETHER EXPRESS OR IMPLIED BY LAW, COURSE OF DEALING, COURSE OF PERFORMANCE, USAGE OF TRADE OR OTHERWISE. LEGAL DISCLAIMER PLEASE READ CAREFULLY. Franke Kitchen Systems LLC provides the above information to you as a public service to our customers. By accessing and using this information, you agree to the following and to comply with all applicable laws. If you do not agree with these terms and conditions, do not use this information. While we try to keep the information current, changes may have occurred since its creation. Contact your Regional Manager or Customer Service to verify information regarding Franke Kitchen Systems LLC programs and their use by you.



# TERMS & CONDITIONS

**FRANKE / FABER RANGE HOOD LIMITED WARRANTY:**

Franke / Faber range hoods are warranted against any defect in materials or workmanship for the original purchaser for a period of two (2) years from the date of original purchase when used in standard residential indoor applications. This warranty covers labor and replacement parts. Franke, at its option, may repair or replace the product or components necessary to restore the product to good working condition.

This warranty supersedes all other warranties, expressed or implied. No employee, field sales representatives, or distribution persons are authorized to give any warranties on behalf of Franke Kitchen Systems, LLC

To make an installed product warranty claim please contact Franke at the provided contact information below. All warranty claims must include the following for processing:

- 1. Proof of purchase from Franke or Faber Authorized Retailer
- 2. Original purchaser’s name, address (included city, state, zip), email address and phone number
- 3. Franke / Faber model and serial number
- 4. Date of installation
- 5. Description of the defect
- 6. Photos of the defect

**In North America and Latin America:**

Franke Home Solutions  
Attn: Warranty Department  
800 Aviation Parkway  
Smyrna, TN 37167  
HS-Warranty.US@Franke.com

Legal Entity:  
Franke Kitchen Systems LLC





