





TABLE OF CONTENTS

| | Page |
|---|------|
| Features and Benefits | 5 |
| Roma Under-counter Wine & Beverage | |
| 24" Single-Zone Beverage or Wine | 6 |
| 24" Dual-Zone Wine Reserve | 7 |
| 24" French Door Dual-Zone Wine and Beverage | 8 |
| 24" French Door Dual-Zone Wine Reserve | 9 |
| Roma Ventilation | |
| 30" & 36" Taverna Wall Mount | 11 |
| 30" & 36" Murano Wall Mount | 12 |
| 30" & 36" Tivoli Wall Mount | 13 |
| 30" & 36" Tivoli Plus Wall Mount | 14 |
| 30" & 36" Sotto Under-Cabinet | 15 |
| 36" Vento Insert | 16 |
| 36" Roma Pro | 17 |
| Roma Limited Warranty | 18 |
| Maple Distributing, LLC. Terms and Conditions of Sale | 19 |

ROMA



WINE & BEVERAGE

FEATURES

VERSATILE INSTALLATION

- Can be Installed Built-In or Free Standing

SMART SENSOR TECHNOLOGY

360° Air Flow provides the perfect chilling temperature at all times

STAINLESS CONSTRUCTION

Stainless Steel Reversible Seamless Door with Pro-Style Handle & Kickplate

QUIET OPERATION

Vibration and Noise Reduction Technology with Low-E Two Layer Tempered Glass Door

24" Single-Zone Beverage



Model R24SZBC Features

- Built-In or Free Standing Installation
- 4.5 CuFt or 154 Cans
- Temperature Range 34°F - 50°F
- 360° Air Flow & Smart Sensor Technology
- Stainless Steel Pro-Style Handle and Kickplate
- Electronic LED Touch Control
- Low-E, Anti-UV resistant two layer Glass
- Reversible Seamless Stainless Steel Door
- Multiple LED Interior Color Options
- Vibration and Noise Reduction Technology
- 2 Year Parts + 1 Year Labor Warranty
- Dimensions :
34 1/4" H x 23 7/16" W x 22 5/16" D

24" Single-Zone Wine

Model R24SZWR Features

- Built-In or Free Standing Installation
- 4.5 CuFt or 52 Bottles
- Temperature Range 41°F - 68°F
- 360° Air Flow & Smart Sensor Technology
- Stainless Steel Pro-Style Handle & Kickplate
- Electronic LED Touch Control
- Low-E, Anti-UV resistant two layer Glass
- Reversible Seamless Stainless Steel Door
- Multiple LED Interior Color Options
- Vibration and Noise Reduction Technology
- 2 Year Parts + 1 Year Labor Warranty
- Dimensions :
34 1/4" H x 23 7/16" W x 22 5/16" D



| Item Number | Description | MAP |
|-------------|---------------------------------|----------|
| R24SZBC | 24" Single Zone Beverage Center | \$ 1,199 |
| R24SZWR | 24" Single Zone Wine Reserve | \$ 1,099 |

24" Dual-Zone Wine Reserve



Model R24DZWR Features

- Built-In or Free Standing Installation
- 4.5 CuFt or 44 Bottles
- Temperature Range
 - Upper Zone: 41°F - 53°F
 - Lower Zone: 53°F - 68°F
- 360° Air Flow with Smart Sensor Technology
- Stainless Steel Pro-Style Handle and Kickplate
- Electronic LED Touch Control
- Low-E, Anti-UV resistant two layer Glass
- Reversible Seamless Stainless Steel Door
- Multiple LED Interior Color Options
- Vibration and Noise Reduction Technology
- 2 Year Parts + 1 Year Labor Warranty
- Dimensions:
 - 34 1/4"H x 23 7/16" W x 22 5/16" D

| Item Number | Description | MAP |
|-------------|----------------------------|----------|
| R24DZWR | 24" Dual Zone Wine Reserve | \$ 1,199 |

24" French Door-Dual Zone Wine & Beverage



Model R24FDWB Features

- Built-In or Free Standing Installation
- 4.5 CuFt - 20 Bottles and 63 Cans
- Temperature Range
 - Wine Zone: 41°F - 68°F
 - Beverage Zone: 34°F - 50°F
- 360° Air Flow with Smart Sensor Technology
- Stainless Steel Pro-Style Handles and Kickplate
- Dual Electronic LED Touch Control
- Low-E, Anti-UV resistant two layer Glass
- Seamless Stainless Steel Doors
- Multiple LED Interior Color Options
- Vibration and Noise Reduction Technology
- 2 Year Parts + 1 Year Labor Warranty
- Dimensions:
 - 34 1/4"H x 23 7/16" W x 22 5/16" D

| Item Number | Description | MAP |
|-------------|---|----------|
| R24FDWB | 24" French Door Dual Zone Wine and Beverage | \$ 1,499 |

24" French Door Dual-Zone Wine Reserve



Model R24FDWR Features

- Built-In or Free Standing Installation
- 4.5 CuFt - 40 Bottles
- Temperature Range 41°F - 68°F
- 360° Air Flow with Smart Sensor Technology
- Stainless Steel Pro-Style Handles and Kickplate
- Dual Electronic LED Touch Control
- Low-E, Anti-UV resistant two layer Glass
- Seamless Stainless Steel Doors
- Multiple LED Interior Color Options
- Vibration and Noise Reduction Technology
- 2 Year Parts + 1 Year Labor Warranty
- Dimensions:
 - 34 1/4"H x 23 7/16" W x 22 5/16" D

| Item Number | Description | MAP |
|-------------|--|----------|
| R24FDWR | 24" French Door Dual Zone Wine Reserve | \$ 1,399 |

ROMA



VENTILATION



30" Taverna Wall Mount

Model # MD4WMC30

MAP \$319

Specifications

| | | | |
|---------------------------|-----------------------------|--------------------------------|------------------|
| Dimensions | 37.4"H x 29.52"W x 19.68" D | Mounting Type | Wall |
| Control Type | Push Button | Required Ceiling Height | 7.5' - 8.5' Feet |
| Fan Speed Settings | 3 | Frequency | 60 Hz |
| Color/Finish | Stainless | Voltage | 110/120V |
| CFM | 400 | Number of Lights | 2 |
| Clock Type | None | Light Type | LED |
| Product Weight | 25.78 LBS | Bulb Wattage | 2 W |
| Exhaust Method | Convertible | Exhaust Vent Location | Top |
| Noise Level | 5.5 Sones | Duct Size | 6" Round |
| Filter Type | 2 Aluminum Mesh Filters | Carbon Filter Included | Purchase |
| Material | 430 Stainless | Chimney Extension | Purchase |
| Power Cord | 3 Prong | Gauge | 24 |

Accessories

| | |
|-----------------------|---|
| Model # HK02 | High Ceiling Kit, up to 11' |
| Model # CF05S2 | Duct Free Carbon Charcoal Filters, Set of 2 |
| Model # BAF913 | Baffle Filters, Set of 3 |



36" Taverna Wall Mount

Model # MD4WMC36

MAP \$339

Specifications

| | | | |
|---------------------------|-------------------------------|--------------------------------|-------------|
| Dimensions | 37.4"H x 35.45' "W x 19.68" D | Mounting Type | Wall |
| Control Type | Push Button | Required Ceiling Height | 7.5' - 8.5' |
| Fan Speed Settings | 3 | Frequency | 60 Hz |
| Color/Finish | Stainless | Voltage | 110/120V |
| CFM | 400 | Number of Lights | 2 |
| Clock Type | None | Light Type | LED |
| Product Weight | 25.78 LBS | Bulb Wattage | 2 W |
| Exhaust Method | Convertible | Exhaust Vent Location | Top |
| Noise Level | 5.5 Sones | Duct Size | 6" Round |
| Filter Type | 2 Aluminum Mesh Filters | Carbon Filter Included | Purchase |
| Material | 430 Stainless | Chimney Extension | Purchase |
| Power Cord | 3 Prong | Gauge | 24 |

Accessories

| | |
|------------------------|---|
| Model # HK02 | High Ceiling Kit, up to 11' |
| Model # CF05S2 | Duct Free Carbon Charcoal Filters, Set of 2 |
| Model # BAF1013 | Baffle Filters, Set of 3 |

30" Murano Wall Mount

Model # MD1WMB30

MAP \$519



Specifications

| | | | |
|---------------------------|-----------------------------|--------------------------------|------------------|
| Dimensions | 30.4" H x 29.3" W x 18.7" D | Mounting Type | Wall |
| Control Type | Touch Sensor | Required Ceiling Height | 7.5' - 8.5' Feet |
| Fan Speed Settings | 3 | Frequency | 60 Hz |
| Color/Finish | Stainless | Voltage | 110/120V |
| CFM | 500 | Number of Lights | 2 |
| Clock Type | Digital | Light Type | LED |
| Product Weight | 32.84 LBS | Bulb Wattage | 2 W |
| Exhaust Method | Convertible | Exhaust Vent Location | Top |
| Noise Level | 5.5 Sones | Duct Size | 7" Round |
| Filter Type | 2 Aluminum Mesh Filters | Carbon Filter Included | Purchase |
| Material | 430 Stainless | Chimney Extension | Purchase |
| Power Cord | 3 Prong | Gauge | 24 |

Accessories

| | |
|-----------------------|---|
| Model # HK01 | High Ceiling Kit, up to 11' |
| Model # CF04S2 | Duct Free Carbon / Charcoal Filters, Set of 2 |
| Model # BAF911 | Baffle Filters, Set of 2 |



36" Murano Wall Mount

Model # MD1WMB36

MAP \$549

Specifications

| | | | |
|---------------------------|-----------------------------|--------------------------------|------------------|
| Dimensions | 36.4" H x 35.2" W x 18.7" D | Mounting Type | Wall |
| Control Type | Touch Sensor | Required Ceiling Height | 7.5' - 8.5' Feet |
| Fan Speed Settings | 3 | Frequency | 60 Hz |
| Color/Finish | Stainless | Voltage | 110/120V |
| CFM | 500 | Number of Lights | 2 |
| Clock Type | Digital | Light Type | LED |
| Product Weight | 36.00 LBS | Bulb Wattage | 2 W |
| Exhaust Method | Convertible | Exhaust Vent Location | Top |
| Noise Level | 5.5 Sones | Duct Size | 7" Round |
| Filter Type | 2 Aluminum Mesh Filters | Carbon Filter Included | Purchase |
| Material | 430 Stainless | Chimney Extension | Purchase |
| Power Cord | 3 Prong | Gauge | 24 |

Accessories

| | |
|-----------------------|---|
| Model # HK01 | High Ceiling Kit, up to 11' |
| Model # CF04S2 | Duct Free Carbon Charcoal Filters, Set of 2 |
| Model # BAF911 | Baffle Filters, Set of 2 |

30" Tivoli Wall Mount

Model # MD3WMC30

MAP \$319



Specifications

| | | | |
|---------------------------|--------------------------------|--------------------------------|----------------|
| Dimensions | 36.10" H x 29.52" W x 19.21" D | Mounting Type | Wall |
| Control Type | Push Button | Required Ceiling Height | 7.5 - 8.5 Feet |
| Fan Speed Settings | 3 | Frequency | 60 Hz |
| Color/Finish | Stainless | Voltage | 110/120V |
| CFM | 400 | Number of Lights | 2 |
| Clock Type | None | Light Type | LED |
| Product Weight | 20.95 LBS | Bulb Wattage | 2 W |
| Exhaust Method | Convertible | Exhaust Vent Location | Top |
| Noise Level | 5.5 Sones | Duct Size | 6" Round |
| Filter Type | 2 Aluminum Mesh Filters | Carbon Filter Included | Purchase |
| Material | 430 Stainless | Chimney Extension | Purchase |
| Power Cord | 3 Prong | Gauge | 24 |

Accessories

| | |
|------------------------|---|
| Model # HK03 | High Ceiling Kit, up to 11' |
| Model # CF05S2 | Duct Free Carbon Charcoal Filters, Set of 2 |
| Model # BAF1313 | Baffle Grease Filters, Set of 2 |



36" Tivoli Wall Mount

Model # MD3WMC36

MAP \$339

Specifications

| | | | |
|---------------------------|--------------------------------|--------------------------------|----------------|
| Dimensions | 36.10" H x 35.45" W x 19.21" D | Mounting Type | Wall |
| Control Type | Push Button | Required Ceiling Height | 7.5 - 8.5 Feet |
| Fan Speed Settings | 3 | Frequency | 60 Hz |
| Color/Finish | Stainless | Voltage | 110/120V |
| CFM | 400 | Number of Lights | 2 |
| Clock Type | None | Light Type | LED |
| Product Weight | 22.90 LBS | Bulb Wattage | 2 W |
| Exhaust Method | Convertible | Exhaust Vent Location | Top |
| Noise Level | 5.5 Sones | Duct Size | 6" Round |
| Filter Type | 2 Aluminum Mesh Filters | Carbon Filter Included | Purchase |
| Material | 430 Stainless | Chimney Extension | Purchase |
| Power Cord | 3 Prong | Gauge | 24 |

Accessories

| | |
|------------------------|---|
| Model # HK03 | High Ceiling Kit, up to 11' |
| Model # CF05S2 | Duct Free Carbon Charcoal Filters, Set of 2 |
| Model # BAF1013 | Baffle Filters, Set of 3 |

30" Tivoli Plus Wall Mount

Model # MD3WMB30
MAP \$479



Specifications

| | | | |
|---------------------------|-----------------------------|--------------------------------|------------------|
| Dimensions | 36.4" H x 29.3" W x 18.7" D | Mounting Type | Wall |
| Control Type | Touch Sensor | Required Ceiling Height | 7.5' - 8.5' Feet |
| Fan Speed Settings | 3 | Frequency | 60 Hz |
| Color/Finish | Stainless | Voltage | 110/120V |
| CFM | 500 | Number of Lights | 2 |
| Clock Type | Digital | Light Type | LED |
| Product Weight | 32.84 LBS | Bulb Wattage | 2 W |
| Exhaust Method | Convertible | Exhaust Vent Location | Top |
| Noise Level | 5.5 Sones | Duct Size | 7" Round |
| Filter Type | 2 Aluminum Mesh Filters | Carbon Filter Included | Purchase |
| Material | 430 Stainless | Chimney Extension | Purchase |
| Power Cord | 3 Prong | Gauge | 24 |



| | |
|------------------------|---|
| Model # HK03 | High Ceiling Kit, up to 11' |
| Model # CF04S2 | Duct Free Carbon / Charcoal Filters, Set of 2 |
| Model # BAF1313 | Baffle Grease Filters, Set of 2 |

36" Tivoli Plus Wall Mount

Model # MD3WMB36
MAP \$519

Specifications

| | | | |
|---------------------------|-----------------------------|--------------------------------|------------------|
| Dimensions | 40.6" H x 35.2" W x 18.9" D | Mounting Type | Wall |
| Control Type | Touch Sensor | Required Ceiling Height | 7.5' - 8.5' Feet |
| Fan Speed Settings | 3 | Frequency | 60 Hz |
| Color/Finish | Stainless | Voltage | 110/120V |
| CFM | 500 | Number of Lights | 2 |
| Clock Type | Digital | Light Type | LED |
| Product Weight | 26.5 LBS | Bulb Wattage | 2 W |
| Exhaust Method | Convertible | Exhaust Vent Location | Top |
| Noise Level | 5.5 Sones | Duct Size | 7" Round |
| Filter Type | 2 Aluminum Mesh Filters | Carbon Filter Included | Purchase |
| Material | 430 Stainless | Chimney Extension | Purchase |
| Power Cord | 3 Prong | Gauge | 24 |

Accessories

| | |
|------------------------|---|
| Model # HK03 | High Ceiling Kit, up to 11' |
| Model # CF04S2 | Duct Free Carbon Charcoal Filters, Set of 2 |
| Model # BAF1013 | Baffle Grease Filters, Set of 3 |

30" Sotto Under-Cabinet

Model # MD8UC30

MAP \$249



Specifications

| | | | |
|---------------------------|----------------------------|--------------------------------|---------------------------|
| Dimensions | 5.12" H x 29.8" W x 18." D | Mounting Type | Under Cabinet |
| Control Type | Push Button | Required Ceiling Height | N/A |
| Fan Speed Settings | 3 | Frequency | 60 Hz |
| Color/Finish | Stainless | Voltage | 110/120V |
| CFM | 350 | Number of Lights | 2 |
| Clock Type | None | Light Type | LED |
| Product Weight | 14.50 LBS | Bulb Wattage | 2 W |
| Exhaust Method | Convertible | Exhaust Vent Location | Top or Rear |
| Noise Level | 5.5 Sones | Duct Size | 7" Round or 3.25 x10 Rec. |
| Filter Type | 2 Aluminum Mesh Filters | Carbon Filter Included | Purchase |
| Material | 430 Stainless | Chimney Extension | N/A |
| Power Cord | Hard-wire | Gauge | 24 |

Accessories

| | |
|------------------------|---|
| Model # CF04S2 | Duct Free Carbon Charcoal Filters, Set of 2 |
| Model # BAFI313 | Baffle Filters, Set of 2 |



36" Sotto Under-Cabinet

Model # MD8UC36

MAP \$269

| | | | |
|---------------------------|----------------------------|--------------------------------|---------------------------|
| Dimensions | 5.12" H x 35.8" W x 18." D | Mounting Type | Under Cabinet |
| Control Type | Push Button | Required Ceiling Height | N/A |
| Fan Speed Settings | 3 | Frequency | 60 Hz |
| Color/Finish | Stainless | Voltage | 110/120V |
| CFM | 350 | Number of Lights | 2 |
| Clock Type | None | Light Type | LED |
| Product Weight | 14.50 LBS | Bulb Wattage | 2 W |
| Exhaust Method | Convertible | Exhaust Vent Location | Top or Rear |
| Noise Level | 5.5 Sones | Duct Size | 7" Round or 3.25 x10 Rec. |
| Filter Type | 2 Aluminum Mesh Filters | Carbon Filter Included | Purchase |
| Material | 430 Stainless | Chimney Extension | N/A |
| Power Cord | Hard-wire | Gauge | 24 |

Accessories

| | |
|------------------------|---|
| Model # CF04S2 | Duct Free Carbon Charcoal Filters, Set of 2 |
| Model # BAFI313 | Baffle Filters, Set of 2 |



36" Vento Insert

Model # MD5PL536

MAP \$699

Specifications

| | | | |
|---------------------------|-----------------------------|--------------------------------|----------|
| Dimensions | 15.0" H x 34.4" W x 19.3" D | Mounting Type | Insert |
| Control Type | Mechanical Button | Required Ceiling Height | N/A |
| Fan Speed Settings | 3 | Frequency | 60 Hz |
| Color/Finish | Stainless | Voltage | 110/120V |
| CFM | 600 | Number of Lights | 2 |
| Clock Type | N/A | Light Type | LED |
| Product Weight | 28.7 LBS | Bulb Wattage | 2 W |
| Exhaust Method | Ducted | Exhaust Vent Location | Top |
| Noise Level | 43-50dB | Duct Size | 7" Round |
| Filter Type | SS Baffle Filters | Carbon Filter Included | |
| Material | 430 Stainless | Chimney Extension | |
| Power Cord | 3 Prong | Gauge | 24 |



AVAILABLE Q4 2023

36" Roma Pro

Model #MD5PH936
MAP \$999

Specifications

| | | | |
|---------------------------|--------------------------|--------------------------------|----------|
| Dimensions | 17.7" H x 35.8" W x 22"D | Mounting Type | Wall |
| Control Type | Push Button | Required Ceiling Height | N/A |
| Fan Speed Settings | 3 | Frequency | 60 Hz |
| Color/Finish | Stainless | Voltage | 110/120V |
| CFM | 1000 | Number of Lights | 2 |
| Clock Type | N/A | Light Type | LED |
| Product Weight | 78 LBS | Bulb Wattage | 2 W |
| Exhaust Method | Ducted | Exhaust Vent Location | Top |
| Noise Level | 65dB | Duct Size | 8" Round |
| Filter Type | SS Baffle Filters | Carbon Filter Included | |
| Material | 430 Stainless | Chimney Extension | |
| Power Cord | 3 Prong | Gauge | 24 |

Limited Warranty

OVERVIEW

Warranty is applicable for ROMA Home Appliances products sold in the US & Canada only. When requesting service or parts, please have the following information ready: model number, serial number, date of purchase (all of the information is available on your Bill of Sale), and a detailed description of the issue. Warranty is covered for residential use only and will be voided if the product is installed for commercial use (restaurants, hotels, schools, dental offices, doctor's offices, hospitals, etc.) Warranty is valid with the first owner and is non-transferable under any circumstances.

FULL TWO YEAR WARRANTY

Two year limited warranty on parts and labor on all ROMA appliances from the original date of purchase indicated on the invoice. During this period, ROMA will provide all parts and labor necessary to correct such defects free of charge, as long as the unit has been installed and operated in accordance with the instruction manual. ROMA Home Appliances will not be responsible for extra service coverage to remote or isolated areas 50 mile outside the dealer location of purchase. Extra service coverage includes unavailable servicers in the area, premium service fees or extra travel time. The customer will be responsible for paying any additional cost directly to the authorized servicer. In addition, ROMA will replace any defective unit that is deemed unrepairable caused by workmanship.

10 DAY COSMETIC WARRANTY

Cosmetic defects must be reported up to 10 days from the original date of purchase. Warranty will not be covered after the product has been installed.

NON-COVERAGE UNDER WARRANTY

1. Damage to the appliance caused intentionally or by accident
2. Transport Damage
3. Incorrect connection to power supply or water line
4. Improper installation
5. Modification to the appliance
6. Natural disasters (floods, fires, earthquakes, lightning, etc.)

All service requests and other after market needs can be conveniently submitted to our team using the SERVICE REQUEST FORM located at www.mapledistributing.com.

Maple Distributing, LLC. Terms and Conditions of Sale

| | |
|---------------|---|
| Prices | Price lists are subject to change without notice. All shipments will be invoiced at prices prevailing at the time of order. This price list supersedes any and all previous price lists. |
| Terms | Net 30 days from shipment of product with approved credit. |
| Lead Times | Purchase orders for products that are in stock will ship within the next business day. Estimated lead times will be provided for all non-stock items. |
| Returns | Product being returned must have a Return Materials Authorization (RMA) and Dealer assumes responsibility for all freight cost. Your Regional Account Manager or Service Department must generate RMA's. Any product returned without an RMA will be refused and returned to the sender. RMA's are valid for (30) days. |
| Restocking | Unopened merchandise being accepted for return will be subject to a 25% restocking charge and Dealer assumes responsibility for all freight cost. The merchandise must be properly packaged and in brand new sellable condition. All products received in less than 100% sellable condition will be refused and sent back to the dealer. No credit will be issued on any returned merchandise that is not in 100% sellable condition. |
| Damage Claims | All Roma units must be inspected at the time of delivery. Damages MUST be refused and Maple Distributing should be notified. Once the units are received in good condition, Maple Distributing will not be responsible for any damaged product. |

WAREHOUSE:
2100 Century Cir.
Irving, TX 75062

WAREHOUSE HOURS:
M-F 8AM-4PM CST

SERVICE DEPT: (800) 866-4774
support@mapledistributing.com



ORDER DEPT:
(800) 866-4774
FAX: (214) 352-0348

OFFICE HOURS:
M-F 8AM-5PM CST

ROMA

WINE, BEVERAGE
& VENTILATION



2100 Century Cir. Irving, TX 75062

Phone: 800-866-4774

orders@mapledistributing.com

www.mapledistributing.com.com

Effective 06-01-23