





	Page
Features and Benefits	4
Roma Under-counter Wine & Beverage	
24" Beverage Center Panel Ready	5
24" Beverage Center with Retractable Shelf	6
24" Single-Zone Beverage or Wine	7
24" Dual-Zone Wine Reserve	8
24" French Door Dual-Zone Wine and Beverage	9
24" French Door Dual-Zone Wine Reserve	11
24" French Door Dual-Zone Wine Reserve	
Roma Ventilation	
30" & 36" Taverna Wall Mount	12
30" & 36" Murano Wall Mount	13
30" & 36" Tivoli Wall Mount	14
30" & 36" Tivoli Plus Wall Mount	15
30" Sotto Under-Cabinet	16
36" Vento Insert	17
36" Roma Pro	18
Roma Limited Warranty	19
Maple Distributing, LLC. Terms and Conditions of Sale	20

# ROMA

## WINE & BEVERAGE



## FEATURES

- **VERSATILE INSTALLATION**
  - Can be Installed Built-In or Free Standing Installation
  -
- **SMART SENSOR TECHNOLOGY**
  - 360° Air Flow provides the perfect chilling
    - temperature at all times
  -
- **STAINLESS CONSTRUCTION**
  - Stainless Steel Reversible Seamless Door with
    - Pro-Style Handle & Kickplate
  -
- **QUIET OPERATION**
  - Vibration and Noise Reduction Technology with
    - Low-E Two Layer Tempered Glass Door

## 24" Single Zone Under Counter Bev Center -Panel Ready



### Model R24SBPR Features

- Under-Counter or Free Standing Install
- 4.7 Cu Ft. or 167 Cans
- Temperature Range 35°F - 50°F
- 360° Air Flow & Smart Sensor Technology
- Customize for Panel Ready
- 3 Glass Shelves With Metal Front Trim
- Reversible Door
- Adjustable LED Lights- White, Blue, Amber
- Low-E, Anti-UV Resistant 2 layer Glass Door
- Vibration and Noise Reduction Technology
- Digital Touch Control, White LED Readout
- Sabbath Mode, Showroom mode
- Open Door Alarm

### Dimensions :

- 34 1/8" H x 23 7/16" W x 25 3/8" D

Item Number	Description	MAP
R24SBPR	24" Single Zone Beverage Center - Panel Ready	\$ 1,799

## 24" Beverage Center With Retractable Shelf



### Model R24SZBR Features

- Under-Counter or Free Standing Install
- 5.6 Cu Ft. or 77 Cans + 18 Bottles
- Temperature Range 34°F - 50°F
- 360° Air Flow & Smart Sensor Technology
- Seamless Stainless Steel door Frame / Reversible
- Stainless Steel Pro Handle & Kickplate
- Retractable Half-Glass Shelf + Full-Size Glass shelf with Metal Trim
- Full-Extension shelf
- Digital Touch Control, White LED Readout
- Adjustable LED Lights- White, Blue, Amber
- Low-E, Anti-UV resistant 2 layer Door
- Open Door Alarm
- Dimensions : 34 1/8" H x 23 7/16" W x 25 3/8" D

Item Number	Description	MAP
R24SZBR	24" Beverage Center With Retractable Shelf	\$ 1,669

## 24" Single-Zone Beverage



### Model R24SZBC Features

- Built-In or Free Standing Installation
- 4.5 Cu Ft. or 154 Cans
- Temperature Range 34°F - 50°F
- 360° Air Flow & Smart Sensor Technology
- Stainless Steel Pro-Style Handle and Kickplate
- Electronic LED Touch Control
- Low-E, Anti-UV resistant two layer Glass
- Reversible Seamless Stainless Steel Door
- LED Interior Lighting
- Vibration and Noise Reduction Technology
- 2 Year Parts + 1 Year Labor Warranty
- Dimensions :  
34 1/4" H x 23 7/16" W x 22 5/16" D

## 24" Single-Zone Wine

### Model R24SZWR Features

- Built-In or Free Standing Installation
- 4.5 Cu Ft. or 22 Bottles
- Temperature Range 39°F - 68°F
- 360° Air Flow & Smart Sensor Technology
- Stainless Steel Pro-Style Handle & Kickplate
- Electronic LED Touch Control
- Low-E, Anti-UV resistant two layer Glass
- Reversible Seamless Stainless Steel Door
- LED Interior Lighting
- Vibration and Noise Reduction Technology
- 2 Year Parts + 1 Year Labor Warranty
- Dimensions :  
34 1/4" H x 23 7/16" W x 22 5/16" D



Item Number	Description	MAP
R24SZBC	24" Single Zone Beverage Center	\$ 1,269
R24SZWR	24" Single Zone Wine Center	\$ 1,269



## 24" Dual-Zone Wine Reserve



### Model R24DZWR Features

- Built-In or Free Standing Installation
- 4.5 Cu Ft. or 44 Bottles
- Temperature Range
  - Upper Zone: 39°F - 50°F
  - Lower Zone: 50°F - 68°F
- 360° Air Flow with Smart Sensor Technology
- Stainless Steel Pro-Style Handle and Kickplate
- Electronic LED Touch Control
- Low-E, Anti-UV resistant two layer Glass
- Reversible Seamless Stainless Steel Door
- LED Interior Lighting
- Vibration and Noise Reduction Technology
- 2 Year Parts + 1 Year Labor Warranty
- Dimensions:
  - 33 1/4"H x 23 7/16" W x 22 5/16" D

Item Number	Description	MAP
R24DZWR	24" Dual Zone Wine Reserve	\$ 1,399



## 24" French Door-Dual Zone Wine & Beverage



### Model R24FDWB Features

- Built-In or Free Standing Installation
- 4.5 CuFt - 20 Bottles and 63 Cans
- Temperature Range
  - Wine Zone: 39°F - 68°F
  - Beverage Zone: 36°F - 68°F
- 360° Air Flow with Smart Sensor Technology
- Stainless Steel Pro-Style Handles and Kickplate
- Dual Electronic LED Touch Control
- Low-E, Anti-UV resistant two layer Glass
- Seamless Stainless Steel Doors
- LED Interior Lighting
- Vibration and Noise Reduction Technology
- 2 Year Parts + 1 Year Labor Warranty
- Dimensions:
  - 34 1/4"H x 23 7/16" W x 22 5/16" D

Item Number	Description	MAP
R24FDWB	24" French Door Dual Zone Wine and Beverage	\$ 1,699

## 24" French Door Dual-Zone Wine Reserve



### Model R24FDWR Features

- Built-In or Free Standing Installation
- 4.5 Cu Ft. - 40 Bottles
- Temperature Range 39°F - 68°F
- 360° Air Flow with Smart Sensor Technology
- Stainless Steel Pro-Style Handles and Kickplate
- Dual Electronic LED Touch Control
- Low-E, Anti-UV resistant two layer Glass
- Seamless Stainless Steel Doors
- LED Interior Lighting
- Vibration and Noise Reduction Technology
- 2 Year Parts + 1 Year Labor Warranty
- Dimensions:  
34 1/4"H x 23 7/16" W x 22 5/16" D

Item Number	Description	MAP
R24FDWR	24" French Door Dual Zone Wine Reserve	\$ 1,599

# ROMA



VENTILATION



## 30" Taverna Wall Mount

Model # MD4WMC30

MAP \$369

### Specifications

Dimensions	37.4"H x 29.52"W x 19.68" D	Mounting Type	Wall
Control Type	Push Button	Required Ceiling Height	7.5' - 8.5' Feet
Fan Speed Settings	3	Frequency	60 Hz
Color/Finish	Stainless	Voltage	110/120V
CFM	400	Number of Lights	2
Clock Type	None	Light Type	LED
Product Weight	25.78 LBS	Bulb Wattage	2 W
Exhaust Method	Convertible	Exhaust Vent Location	Top
Noise Level	5.5 Sones	Duct Size	6" Round
Filter Type	2 Aluminum Mesh Filters	Carbon Filter Included	Purchase
Material	430 Stainless	Chimney Extension	Purchase
Power Cord	3 Prong	Gauge	24

### Accessories

Model # HK02	High Ceiling Kit, up to 11'
Model # CF03S2	Duct Free Carbon Charcoal Filters, Set of 2
Model # BAF913	Baffle Filters, Set of 3



## 36" Taverna Wall Mount

Model # MD4WMC36

MAP \$399

### Specifications

Dimensions	37.4"H x 35.45' 'W x 19.68" D	Mounting Type	Wall
Control Type	Push Button	Required Ceiling Height	7.5' - 8.5'
Fan Speed Settings	3	Frequency	60 Hz
Color/Finish	Stainless	Voltage	110/120V
CFM	400	Number of Lights	2
Clock Type	None	Light Type	LED
Product Weight	25.78 LBS	Bulb Wattage	2 W
Exhaust Method	Convertible	Exhaust Vent Location	Top
Noise Level	5.5 Sones	Duct Size	6" Round
Filter Type	2 Aluminum Mesh Filters	Carbon Filter Included	Purchase
Material	430 Stainless	Chimney Extension	Purchase
Power Cord	3 Prong	Gauge	24

### Accessories

Model # HK02	High Ceiling Kit, up to 11'
Model # CF03S2	Duct Free Carbon Charcoal Filters, Set of 2
Model # BAF1013	Baffle Filters, Set of 3

## 30" Murano Wall Mount

Model # MD1WMB30

MAP \$599

### Specifications

Dimensions	30.4" H x 29.3" W x 18.7" D	Mounting Type	Wall
Control Type	Touch Sensor	Required Ceiling Height	7.5' - 8.5' Feet
Fan Speed Settings	3	Frequency	60 Hz
Color/Finish	Stainless	Voltage	110/120V
CFM	500	Number of Lights	2
Clock Type	Digital	Light Type	LED
Product Weight	32.84 LBS	Bulb Wattage	2 W
Exhaust Method	Convertible	Exhaust Vent Location	Top
Noise Level	5.5 Sones	Duct Size	7" Round
Filter Type	2 Aluminum Mesh Filters	Carbon Filter Included	Purchase
Material	430 Stainless	Chimney Extension	Purchase
Power Cord	3 Prong	Gauge	24



### Accessories

Model # HK01	High Ceiling Kit, up to 11'
del # CF04S2	Duct Free Carbon / Charcoal Filters, Set of 2
del # BAF911	Baffle Filters, Set of 2



## 36" Murano Wall Mount

Model # MD1WMB36

MAP \$629

### Specifications

Dimensions	36.4" H x 35.2" W x 18.7" D	Mounting Type	Wall
Control Type	Touch Sensor	Required Ceiling Height	7.5' - 8.5' Feet
Fan Speed Settings	3	Frequency	60 Hz
Color/Finish	Stainless	Voltage	110/120V
CFM	500	Number of Lights	2
Clock Type	Digital	Light Type	LED
Product Weight	36.00 LBS	Bulb Wattage	2 W
Exhaust Method	Convertible	Exhaust Vent Location	Top
Noise Level	5.5 Sones	Duct Size	7" Round
Filter Type	2 Aluminum Mesh Filters	Carbon Filter Included	Purchase
Material	430 Stainless	Chimney Extension	Purchase
Power Cord	3 Prong	Gauge	24

### Accessories

Model # HK01	High Ceiling Kit, up to 11'
Model # CF04S2	Duct Free Carbon Charcoal Filters, Set of 2
Model # BAF911	Baffle Filters, Set of 2

## 30" Tivoli Wall Mount

Model # MD3WMC30

MAP \$369



### Specifications

Dimensions	36.10" H x 29.52" W x 19.21" D	Mounting Type	Wall
Control Type	Push Button	Required Ceiling Height	7.5 - 8.5 Feet
Fan Speed Settings	3	Frequency	60 Hz
Color/Finish	Stainless	Voltage	110/120V
CFM	400	Number of Lights	2
Clock Type	None	Light Type	LED
Product Weight	20.95 LBS	Bulb Wattage	2 W
Exhaust Method	Convertible	Exhaust Vent Location	Top
Noise Level	5.5 Sones	Duct Size	6" Round
Filter Type	2 Aluminum Mesh Filters	Carbon Filter Included	Purchase
Material	430 Stainless	Chimney Extension	Purchase
Power Cord	3 Prong	Gauge	24

### Accessories

Model # HK03	High Ceiling Kit, up to 11'
Model # CF03S2	Duct Free Carbon Charcoal Filters, Set of 2
Model # BAF1313	Baffle Grease Filters, Set of 2



## 36" Tivoli Wall Mount

Model # MD3WMC36

MAP \$399

### Specifications

Dimensions	36.10" H x 35.45" W x 19.21" D	Mounting Type	Wall
Control Type	Push Button	Required Ceiling Height	7.5 - 8.5 Feet
Fan Speed Settings	3	Frequency	60 Hz
Color/Finish	Stainless	Voltage	110/120V
CFM	400	Number of Lights	2
Clock Type	None	Light Type	LED
Product Weight	22.90 LBS	Bulb Wattage	2 W
Exhaust Method	Convertible	Exhaust Vent Location	Top
Noise Level	5.5 Sones	Duct Size	6" Round
Filter Type	2 Aluminum Mesh Filters	Carbon Filter Included	Purchase
Material	430 Stainless	Chimney Extension	Purchase
Power Cord	3 Prong	Gauge	24

### Accessories

Model # HK03	High Ceiling Kit, up to 11'
Model # CF03S2	Duct Free Carbon Charcoal Filters, Set of 2
Model # BAF1013	Baffle Filters, Set of 3

## 30" Tivoli Plus Wall Mount

Model # MD3WMB30  
MAP \$549



### Specifications

Dimensions	36.4" H x 29.3" W x 18.7" D	Mounting Type	Wall
Control Type	Touch Sensor	Required Ceiling Height	7.5' - 8.5' Feet
Fan Speed Settings	3	Frequency	60 Hz
Color/Finish	Stainless	Voltage	110/120V
CFM	500	Number of Lights	2
Clock Type	Digital	Light Type	LED
Product Weight	32.84 LBS	Bulb Wattage	2 W
Exhaust Method	Convertible	Exhaust Vent Location	Top
Noise Level	5.5 Sones	Duct Size	7" Round
Filter Type	2 Aluminum Mesh Filters	Carbon Filter Included	Purchase
Material	430 Stainless	Chimney Extension	Purchase
Power Cord	3 Prong	Gauge	24



Model # HK03	High Ceiling Kit, up to 11'
Model # CF04S2	Duct Free Carbon / Charcoal Filters, Set of 2
Model # BAF1313	Baffle Grease Filters, Set of 2

## 36" Tivoli Plus Wall Mount

Model # MD3WMB36  
MAP \$599

### Specifications

Dimensions	40.6" H x 35.2" W x 18.9" D	Mounting Type	Wall
Control Type	Touch Sensor	Required Ceiling Height	7.5' - 8.5' Feet
Fan Speed Settings	3	Frequency	60 Hz
Color/Finish	Stainless	Voltage	110/120V
CFM	500	Number of Lights	2
Clock Type	Digital	Light Type	LED
Product Weight	26.5 LBS	Bulb Wattage	2 W
Exhaust Method	Convertible	Exhaust Vent Location	Top
Noise Level	5.5 Sones	Duct Size	7" Round
Filter Type	2 Aluminum Mesh Filters	Carbon Filter Included	Purchase
Material	430 Stainless	Chimney Extension	Purchase
Power Cord	3 Prong	Gauge	24

### Accessories

Model # HK03	High Ceiling Kit, up to 11'
Model # CF04S2	Duct Free Carbon Charcoal Filters, Set of 2
Model # BAF1013	Baffle Grease Filters, Set of 3



## 30" Sotto Under-Cabinet

Model # MD8UC30

MAP \$289



### Specifications

Dimensions	5.12" H x 29.8" W x 18." D	Mounting Type	Under Cabinet
Control Type	Push Button	Required Ceiling Height	N/A
Fan Speed Settings	3	Frequency	60 Hz
Color/Finish	Stainless	Voltage	110/120V
CFM	350	Number of Lights	2
Clock Type	None	Light Type	LED
Product Weight	14.50 LBS	Bulb Wattage	2 W
Exhaust Method	Convertible	Exhaust Vent Location	Top or Rear
Noise Level	5.5 Sones	Duct Size	7" Round or 3.25 x10 Rec.
Filter Type	2 Aluminum Mesh Filters	Carbon Filter Included	Purchase
Material	430 Stainless	Chimney Extension	N/A
Power Cord	Hard-wire	Gauge	24

### Accessories

Model # CF03S2	Duct Free Carbon Charcoal Filters, Set of 2
Model # BAFI313	Baffle Filters, Set of 2



## 36" Sotto Under-Cabinet

Model # MD8UC36

MAP \$299

### Specifications

Dimensions	5.12" H x 35.8" W x 18." D	Mounting Type	Under Cabinet
Control Type	Push Button	Required Ceiling Height	N/A
Fan Speed Settings	3	Frequency	60 Hz
Color/Finish	Stainless	Voltage	110/120V
CFM	350	Number of Lights	2
Clock Type	None	Light Type	LED
Product Weight	14.50 LBS	Bulb Wattage	2 W
Exhaust Method	Convertible	Exhaust Vent Location	Top or Rear
Noise Level	5.5 Sones	Duct Size	7" Round or 3.25 x10 Rec.
Filter Type	2 Aluminum Mesh Filters	Carbon Filter Included	Purchase
Material	430 Stainless	Chimney Extension	N/A
Power Cord	Hard-wire	Gauge	24

### Accessories

Model # CF03S2	Duct Free Carbon Charcoal Filters, Set of 2
Model # BAFI313	Baffle Filters, Set of 2

## 36" Vento Insert

Model # MD5PL536  
MAP \$699



### Specifications

Dimensions	15.0" H x 34.4" W x 18.9" D	Mounting Type	Insert
Control Type	Mechanical Button	Required Ceiling Height	N/A
Fan Speed Settings	3	Frequency	60 Hz
Color/Finish	Stainless	Voltage	110/120V
CFM	500	Number of Lights	2
Clock Type	N/A	Light Type	LED
Product Weight	28.7 LBS	Bulb Wattage	2 W
Exhaust Method	Ducted	Exhaust Vent Location	Top
Noise Level	43-50 Sones	Duct Size	7" Round
Filter Type	SS Baffle Filters	Carbon Filter Included	
Material	430 Stainless	Chimney Extension	
Power Cord	3 Prong	Gauge	24

Available Q4 2025



## 36" Roma Pro

Model #MD5PH936  
MAP \$1029

### Specifications

Dimensions	17.7" H x 35.8" W x 22"D	Mounting Type	Wall
Control Type	Push Button	Required Ceiling Height	7.5' - 8.5' Feet
Fan Speed Settings	3	Frequency	60 Hz
Color/Finish	Stainless	Voltage	110/120V
CFM	1000	Number of Lights	2
Clock Type	N/A	Light Type	LED
Product Weight	78 LBS	Bulb Wattage	2 W
Exhaust Method	Ducted	Exhaust Vent Location	Top
Noise Level	65 Sones	Duct Size	8" Round
Filter Type	SS Baffle Filters	Carbon Filter Included	
Material	430 Stainless	Chimney Extension	
Power Cord	3 Prong	Gauge	24

## Limited Warranty

### OVERVIEW

Warranty is applicable for ROMA Home Appliances products sold in the US & Canada only. When requesting service or parts, please have the following information ready: model number, serial number, date of purchase (all of the information is available in your Bill of Sale), and a detailed description of the issue. Warranty is covered for residential use only and will be voided if the product is installed for commercial use (restaurants, hotels, schools, dental offices, doctor's offices, hospitals, etc.) Warranty is valid with the first owner and is non-transferable under any circumstances.

### FULL TWO YEAR WARRANTY

Two year limited warranty on parts and labor on all ROMA appliances from the original date of purchase indicated on the invoice. During this period, ROMA will provide all parts and labor necessary to correct such defects free of charge, as long as the unit has been installed and operated in accordance with the instruction manual. ROMA Home Appliances will not be responsible for extra service coverage to remote or isolated areas 50 mile outside the dealer location of purchase. Extra service coverage includes unavailable servicers in the area, premium service fees or extra travel time. The customer will be responsible for paying any additional cost directly to the authorized service. In addition, ROMA will replace any defective until that is deemed unrepairable caused by workmanship.

### 10 DAY COSMETIC WARRANTY

Cosmetic defects must be reported up to 10 days from the original date of purchase. Warranty will not be covered after the product has been installed.

### NON-COVERAGE UNDER WARRANTY

1. Damage to the appliance caused intentionally or by accident
2. Transport Damage
3. Incorrect connection to power supply or water line
4. Improper installation
5. Modification to the appliance
6. Natural disasters (floods, fires, earthquakes, lightening, etc.)
- 7.

All service requests and other after market needs can be conveniently submitted to our team using the SERVICE REQUEST FORM located at [www.mapledistributing.com](http://www.mapledistributing.com).

## Maple Distributing, LLC. Terms and Conditions of Sale

Prices	Price lists are subject to change without notice. All shipments will be invoiced at prices prevailing at the time of order. This price list supersedes any and all previous price lists.
Terms	Net 30 days from shipment of product with approved credit.
Lead Times	Purchase orders for products that are in stock will ship within the next business day. Estimated lead times will be provided for all non-stock items.
Returns	Product being returned must have a Return Materials Authorization (RMA) and Dealer assumes responsibility for all freight cost. Your Regional Account Manager or Service Department must generate RMA's. Any product returned without an RMA will be refused and returned to the sender. RMA's are valid for (30) days.
Restocking	Unopened merchandise being accepted for return will be subject to a 25% restocking charge and Dealer assumes responsibility for all freight cost. The merchandise must be properly packaged and in brand new sellable condition. All products received in less than 100% sellable condition will be refused and sent back to the dealer. No credit will be issued on any returned merchandise that is not in 100% sellable condition.
Damage Claims	All Roma units must be inspected at the time of delivery. Damages MUST be refused and Maple Distributing should be notified. Once the units are received in good condition, Maple Distributing will not be responsible for any damaged product.

**WAREHOUSE:**  
2100 Century Cir.  
Irving, TX 75062

**WAREHOUSE HOURS:**  
M-F 8AM-4PM CST

**SERVICE DEPT: (800) 866-4774**  
support@mapledistributing.com



**ORDER DEPT:**  
(800) 866-4774  
FAX: (214) 352-0348

**OFFICE HOURS:**  
M-F 8AM-5PM CST

# ROMA

WINE, BEVERAGE  
& VENTILATION



2100 Century Cir. Irving, TX 75062

Phone: 800-866-4774

[orders@mapledistributing.com](mailto:orders@mapledistributing.com)

[www.mapledistributing.com.com](http://www.mapledistributing.com.com)

Effective 06-01-25